|                                      | Certifications main  |              |
|--------------------------------------|--|--------------|
| Field Name                           | Description  |              |
| ertification_content_category_id     | ID of the category of the course or learning plan that grants the certification  |              |
| ertification_content_category_name   | Name of the category of the course or learning plan that grants the certification  |              |
| ertification_content_id              | D of the course or learning plan that grants the certification   |              |
| ertification_content_title           | itle of the course or learning plan that grants the certification  |              |
| certification_content_type           | Possible values:<br>course: the certification has been assigned by completing a course<br>plan: the certification has been assigned by completing a learning plan<br>transcript: the certification has been assigned by completing external training activity<br>manual: the certification has been manually awarded by an administrator |              |
| ertification_id                      | ID of the certification  |              |
| ertification_is_deleted              | Possible values: FALSE = not deleted; TRUE = deleted   |              |
| ertification_is_manual               | If TRUE the certification is manually awarded by an administrator. Otherwise it is FALSE.  |              |
| ertification_item_id                 | ID that associates each certification with the methods by which it can be obtained (see certification_content_type)  |              |
| ertification_name                    | Name/Title of the certification  |              |
| ertification_type                    | Renewed', 'Expired', Always Active', or 'Expiring' (if the expiration date is in less than 60 days   |              |
| ertification_type_calc               | Renewed', 'Expired', Always Active', or 'Expiring' (if the expiration date is in less than 60 days   |              |
| ertification_user_id                 | ID of the issued certification   |              |
| ount                                 | Always 1 as value  |              |
| xpiring_in_diff                      | Number of days before the expiration date is reached (0 if this date is in the past)   |              |
| xpiring_in_diff_label                | Classification of the time before the expiration date is reached ("n < 15d", "15d < n < 30d","30d < n < 60d", "60d < n < 90d"  | ',"90d < n") |
| as_expire_date                       | Boolean value, depending on the existence of an expiration date for the certification  |              |
| ec_is_deleted                        | If TRUE, the record is deleted. Otherwise it is FALSE  |              |
| ec_key                               | It is a 32-character surrogate key that identifies the record. It has a unique value because each record is different from the others  |              |
| ec_upd_ts                            | This indicates the date when the record was updated last time (Unix Epoch format)  |              |
| ls_key                               | Not useful - This value is used internally for calculating the RLS (Row Level Security)  |              |
| ser_branch_ids                       | List of the branch ids the user belongs to   |              |
| ser_certification_date_dt            | Certification issue date   |              |
| ser_certification_expire_date_dt     | Certification expiry date  |              |
| ser_certification_is_archived        | If a certification expired and is renewed, the value is 1. Otherwise, the value is 0.  |              |
| ser_certification_is_archived_label  | If a certification expired and is renewed, the value is 'Yes. Otherwise, the value is 'No'.  |              |
| ser_certification_is_in_renew        | If 0 the certification is still valid or was already renewed<br>If 1 the user is attending a course to renew the related certification   |              |
| user_certification_is_in_renew_label | If 'No' the certification is still valid or was already renewed<br>If 'Yes' the user is attending a course to renew the related certification  |              |
| user_certification_status            | A certification can be considered 'valid' if the expiration date has not arrived yet or the certification does not have an expiration date at all.<br>Possible values: 'valid' or 'expired'.   |              |
| iser_email                           | User email   |              |
| ser_firstname                        | User first name  |              |
| ser_group_ids                        | List of the group ids the user belongs to  |              |
| ser_id                               | ID of the user   |              |
| ser_is_valid                         | If TRUE the user account is active<br>If false the user account is inactive  |              |
| ser_lastenter_dt                     | Date when the user logged onto the platform for the last time  |              |
| ser_lastname                         | User last name   |              |
| ser_level                            | Role of the user in the LMS. Possible values:<br>- user: learner<br>- admin: power user<br>- godadmin: superadmin  |              |
| iser_register_date_dt                | User registration date   |              |
| ser_suspend_date_dt                  | Date when the user has been suspended (not used anymore)   |              |
| iser_userid                          | Username   |              |
| user_status                          | Active or Inactive   |              |

|                                       | Certifications by branch   |  |  |
|---------------------------------------|--|--|--|
| Field Name                            | Description  |  |  |
| branch_id                             | ID of the branch   |  |  |
| branch_level                          | Level of the branch  |  |  |
| pranch_level_1                        | ID of the level 1 branch that is either a parent or this branch  |  |  |
| pranch_level_1_name                   | Name of the level 1 branch that is either a parent or this branch  |  |  |
| pranch_level_10                       | ID of the level 10 branch that is either a parent or this branch   |  |  |
| pranch_level_10_name                  | Name of the level 10 branch that is either a parent or this branch   |  |  |
| branch_level_2                        | ID of the level 2 branch that is either a parent or this branch  |  |  |
| branch_level_2_name                   | Name of the level 2 branch that is either a parent or this branch  |  |  |
| branch_level_3                        | ID of the level 3 branch that is either a parent or this branch  |  |  |
| branch_level_3_name                   | Name of the level 3 branch that is either a parent or this branch  |  |  |
| branch_level_4                        | ID of the level 4 branch that is either a parent or this branch  |  |  |
| pranch_level_4_name                   | Name of the level 4 branch that is either a parent or this branch  |  |  |
| branch_level_5                        | ID of the level 5 branch that is either a parent or this branch  |  |  |
| pranch_level_5_name                   | Name of the level 5 branch that is either a parent of this branch  |  |  |
|                                       | ID of the level 6 branch that is either a parent or this branch  |  |  |
| pranch_level_6<br>pranch_level_6_name | Name of the level 6 branch that is either a parent or this branch  |  |  |
| pranch_level_6_name<br>pranch_level_7 | Name of the level 5 branch that is either a parent of this branch  |  |  |
|                                       |  |  |  |
| pranch_level_7_name                   | Name of the level 7 branch that is either a parent or this branch  |  |  |
| pranch_level_8                        | ID of the level 8 branch that is either a parent or this branch  |  |  |
| pranch_level_8_name                   | Name of the level 8 branch that is either a parent or this branch  |  |  |
| pranch_level_9                        | ID of the level 9 branch that is either a parent or this branch  |  |  |
| pranch_level_9_name                   | Name of the level 9 branch that is either a parent or this branch  |  |  |
| pranch_name                           | Name of the branch   |  |  |
| pranch_parent_id                      | ID of the branch   |  |  |
| certification_content_category_id     | ID of the category of the course or learning plan that grants the certification  |  |  |
| certification_content_category_name   | Name of the category of the course or learning plan that grants the certification  |  |  |
| certification_content_id              | ID of the course or learning plan that grants the certification  |  |  |
| certification_content_title           | Title of the course or learning plan that grants the certification   |  |  |
| certification_content_type            | Possible values:<br>- course: the certification has been assigned by completing a course<br>- plan: the certification has been assigned by completing a learning plan<br>- transcript: the certification has been assigned by completing external training activity<br>- manual: the certification has been manually awarded by an administrator |  |  |
| certification_id                      | ID of the certification  |  |  |
| certification_is_deleted              | Possible values: FALSE = not deleted; TRUE = deleted   |  |  |
| certification_is_manual               | If TRUE the certification is manually awarded by an administrator. Otherwise it is FALSE.  |  |  |
| certification_item_id                 | ID that associates each certification with the methods by which it can be obtained (see certification_content_type)  |  |  |
| certification_name                    | Name/Title of the certification  |  |  |
| certification_user_id                 | ID of the issued certification   |  |  |
| count                                 | Always 1 as value  |  |  |
| ec_is_deleted                         | If TRUE, the record is deleted. Otherwise it is FALSE  |  |  |
| rec_key                               | It is a 32-character surrogate key that identifies the record. It has a unique value because each record is different from the others  |  |  |
| ec_upd_ts                             | This indicates the date when the record was updated last time (Unix Epoch format)  |  |  |
| ls_key                                | Not useful - This value is used internally for calculating the RLS (Row Level Security)  |  |  |
| user_branch_ids                       | List of the branch ids the user belongs to   |  |  |
| user_certification_date_dt            | Certification issue date   |  |  |
| ser_certification_cate_ct             | Certification expiry date  |  |  |
|                                       | If a certification expired and is renewed, the value is 1. Otherwise, the value is 0.  |  |  |
| user_certification_is_archived        | Possible values: 1 and 0.<br>If 0 the certification is still valid or was already renewed  |  |  |
| user_certification_is_in_renew        | If 1 the user is attending a course to renew the related certification<br>A certification can be considered 'valid' if the expiration date has not arrived yet or the certification does not have ar   |  |  |
| user_certification_status             | expiration date at all.<br>Possible values: 'valid' or 'expired'.  |  |  |
| user_email                            | User email   |  |  |
| user_firstname                        | User first name  |  |  |
| user_group_ids                        | List of the group ids the user belongs to  |  |  |

| user_id               | ID of the user  |  |
|-----------------------|---|--|
| user_is_valid         | If TRUE the user account is active<br>If false the user account is inactive                                       |  |
| user_lastenter_dt     | Date when the user logged onto the platform for the last time   |  |
| user_lastname         | User last name  |  |
| user_level            | Role of the user in the LMS. Possible values:<br>- user: learner<br>- admin: power user<br>- godadmin: superadmin |  |
| user_register_date_dt | User registration date  |  |
| user_suspend_date_dt  | Date when the user has been suspended (not used anymore)  |  |
| user_userid           | Username  |  |

| Certifications by group             |  |  |
|-------------------------------------|--|--|
| Field Name Description              |  |  |
| group_name                          | Name of the group  |  |
| certification_content_category_id   | ID of the category of the course or learning plan that grants the certification  |  |
| certification_content_category_name | Name of the category of the course or learning plan that grants the certification  |  |
| certification_content_id            | ID of the course or learning plan that grants the certification  |  |
| certification_content_title         | itle of the course or learning plan that grants the certification  |  |
| certification_content_type          | Possible values:<br>- course: the certification has been assigned by completing a course<br>- plan: the certification has been assigned by completing a learning plan<br>- transcript: the certification has been assigned by completing external training activity<br>- manual: the certification has been manually awarded by an administrator |  |
| certification_id                    | ID of the certification  |  |
| certification_is_deleted            | Possible values: FALSE = not deleted; TRUE = deleted   |  |
| certification_is_manual             | If TRUE the certification is manually awarded by an administrator. Otherwise it is FALSE.  |  |
| certification_item_id               | ID that associates each certification with the methods by which it can be obtained (see certification_content_type)  |  |
| certification_name                  | Name/Title of the certification  |  |
| certification_user_id               | ID of the issued certification   |  |
| count                               | Always 1 as value  |  |
| rec_is_deleted                      | If TRUE, the record is deleted. Otherwise it is FALSE  |  |
| rec_key                             | It is a 32-character surrogate key that identifies the record. It has a unique value because each record is different from the others  |  |
| rec_upd_ts                          | This indicates the date when the record was updated last time (Unix Epoch format)  |  |
| rls_key                             | Not useful - This value is used internally for calculating the RLS (Row Level Security)  |  |
| user_branch_ids                     | List of the branch ids the user belongs to   |  |
| user_certification_date_dt          | Certification issue date   |  |
| user_certification_expire_date_dt   | Certification expiry date  |  |
| user_certification_is_archived      | If a certification expired and is renewed, the value is 1. Otherwise, the value is 0. Possible values: 1 and 0.  |  |
| user_certification_is_in_renew      | If 0 the certification is still valid or was already renewed<br>If 1 the user is attending a course to renew the related certification   |  |
| user_certification_status           | A certification can be considered 'valid' if the expiration date has not arrived yet or the certification does not have an expiration date at all.<br>Possible values: 'valid' or 'expired'.   |  |
| user_email                          | User email   |  |
| user_firstname                      | User first name  |  |
| user_group_ids                      | List of the group ids the user belongs to  |  |
| user_id                             | ID of the user   |  |
| user_is_valid                       | If TRUE the user account is active<br>If false the user account is inactive  |  |
| user_lastenter_dt                   | Date when the user logged onto the platform for the last time  |  |
| user_lastname                       | User last name   |  |
| user_level                          | Role of the user in the LMS. Possible values:<br>- user: learner<br>- admin: power user<br>- godadmin: superadmin  |  |
| user_register_date_dt               | User registration date   |  |
| user_suspend_date_dt                | Date when the user has been suspended (not used anymore)   |  |
| user_userid                         | Username   |  |

|  | Course enrollments and completions main  |                     |                  |                   |
|--|--|---------------------|------------------|-------------------|
| Column Name  | Description  |                     |                  |                   |
| completion_rate                                    | 1 if completed (date of completion exists) / 0 if not completed  |                     |                  |                   |
| count  | Always 1, useful to count number of lines. Both fields have the same behavior  |                     |                  |                   |
| course_category_id                                 | ID of the category of the course   |                     |                  |                   |
| course_category_name                               | Name of the category of the course   |                     |                  |                   |
| course_code  | Code of the course   |                     |                  |                   |
| course_creation_dt                                 | Course creation date   |                     |                  |                   |
| course_credit                                      | Credits for the course   |                     |                  |                   |
| course_difficult                                   | Difficulty of the course. Possible values: veryeasy, easy, medium, difficult, verydifficult  |                     |                  |                   |
| course_external_provider_id                        | ID of the external provider. If NULL the course is internal  |                     |                  |                   |
| course_external_provider_name                      | Name of the external provider. If NULL the course is internal  |                     |                  |                   |
| course_id  | ID of the course   |                     |                  |                   |
| course_lang_code                                   | Language code of the course  |                     |                  |                   |
| course_last_update_dt                              | Course last update date  |                     |                  |                   |
| course_medium_time_secs                            | Course expected time (seconds) to completion set by Admin  |                     |                  |                   |
| course_name  | Name/Title of the course   |                     |                  |                   |
| course_publish_dt                                  | Course publication date  |                     |                  |                   |
| course_selling                                     | It identifies a course on sale through e-commerce. Possible values: free, access under payment   |                     |                  |                   |
| course_status                                      | It specifies if the course is either published or not. Possible values:<br>- effective (published)<br>- in preparation (unpublished)   |                     |                  |                   |
| course_type  | It specifies whether the course is either e-learning or instructor-led training (ILT). Possible values:<br>- elearning<br>- classroom  |                     |                  |                   |
| enrollment_is_overdue                              | - classroom<br>Boolean, 1 if an expiration date exists and is either older than the completion date or today (if no completion recorded)   |                     |                  |                   |
| enrollment_status                                  | Course enrollment status with a major cap for the first letter of each word  |                     |                  |                   |
| enrollment_to_completion_diff                      | Number of hours between the completion date and the enrollment date  |                     |                  |                   |
| enrollment_to_completion_diff                      |  |                     |                  |                   |
| enrollment_type<br>first_access_to_completion_diff | "Self-enrolled" or "Enrolled by others"<br>Number of minutes between the completion date and the date of first access  |                     |                  |                   |
| first_access_to_completion_diff_label              | Number of minutes between the completion date and the date of first access.<br>Number of minutes between the completion date and the date of first access, classified in ranges: "n < 15min" / "15min < n < 30min" / "30mi | n < n < 60min" / "6 | Omin e n e 120mi | " / "120min < n"  |
| ilt_enrollment_course_id                           | It identifies a record in the archived_enrollment_course, if the enrollment is archived. Otherwise, it is NULL (not related at all with ILT)   |                     |                  | 1 / 12011111 < 11 |
| is_completed                                       | Boolean, 1 if an expiration date exists and is either older than the completion date or today (if no completion recorded)  |                     |                  |                   |
| overdue_rate                                       | 1 if overdue, 0 otherwise  |                     |                  |                   |
| overdue_status                                     | Yes' if overdue, 'No' otherwise  |                     |                  |                   |
| rec_is_deleted                                     | If TRUE, the record is deleted. Otherwise it is FALSE  |                     |                  |                   |
|  | It is a 32-character surrogate key that identifies the record. It has a unique value because each record is different from the others  |                     |                  |                   |
| rec_key  |  |                     |                  |                   |
| rec_upd_ts   | This indicates the date when the record was updated last time (Unix Epoch format)  |                     |                  |                   |
| rls_key  | This value is used internally for calculating the RLS (Row Level Security)   |                     |                  |                   |
| user_branch_ids                                    | List of the branch ids the user belongs to   |                     |                  |                   |
| user_email   | User email   |                     |                  |                   |
| user_enrollment_completion_dt                      | Course completion date Course enrollment start date  |                     |                  |                   |
| user_enrollment_date_begin_validity                | Course enrollment end date   |                     |                  |                   |
| user_enrollment_date_expire_validity               |  |                     |                  |                   |
| user_enrollment_first_access_dt                    | Course first access date   |                     |                  |                   |
| user_enrollment_initial_score_given                | Course score set by the Course Initial Score Calculation in the advanced settings.   |                     |                  |                   |
| user_enrollment_inscr_dt                           | Course enrollment date If TRUE the enrollment is archived  |                     |                  |                   |
| user_enrollment_is_archived                        | If FALSE the enrollment is live<br>If TRUE the user enrolled himself/herself to the course   |                     |                  |                   |
| user_enrollment_is_self_enrolled                   | If FALSE the user was enrolled by other  |                     |                  |                   |
| user_enrollment_is_waiting                         | If TRUE the enrollment is in waiting list. Otherwise, it is FALSE  |                     |                  |                   |
| user_enrollment_last_access_dt                     | Course last access date  |                     |                  |                   |
| user_enrollment_last_update                        | Course enrollment last update date   |                     |                  |                   |
| user_enrollment_level                              | Role of the user in the course. Possible values:<br>- learner<br>- tutor<br>- instructor<br>- coach  |                     |                  |                   |
| user_enrollment_score_given                        | Course score set by the Course Final Score Calculation in the advanced settings. It indicates the official course score.   |                     |                  |                   |
| user_enrollment_status                             | Course enrollment status   |                     |                  |                   |
| user_enrollment_subscriber_user_id                 | ID of the user who created the enrollment. This can be either the enrolled user (self- enrollment) or adifferent person (e.g. a superadmin)  |                     |                  |                   |
| user_firstname                                     | User first name  |                     |                  |                   |
| user_group_ids                                     | List of the group ids the user belongs to  |                     |                  |                   |
| user_id  | ID of the user   |                     |                  |                   |
| user_is_valid                                      | If TRUE the user account is active   |                     |                  |                   |
|  | If false the user account is inactive  |                     |                  |                   |
| user_lastenter_dt                                  | Date when the user logged onto the platform for the last time  |                     |                  |                   |
| user_lastname                                      | User last name   |                     |                  |                   |
| user_level   | Role of the user in the LMS. Possible values:<br>- user: learner<br>- admin: power user<br>- godadmin: superadmin  |                     |                  |                   |
|  |  |                     |                  |                   |
| user_register_date_dt                              | User registration date   |                     |                  |                   |
| user_register_date_dt<br>user_suspend_date_dt      | User registration date<br>Date when the user has been suspended (not used anymore)   |                     |                  |                   |
| -  |  |                     |                  |                   |

| Column Name                         | Description  |  |
|-------------------------------------|--|--|
| ranch id                            | ID of the branch   |  |
| pranch_level                        | Level of the branch  |  |
| pranch_level_1                      | ID of the level 1 branch that is either a parent or this branch  |  |
|                                     | · ·  |  |
| branch_level_1_name                 | Name of the level 1 branch that is either a parent or this branch  |  |
| pranch_level_10                     | ID of the level 10 branch that is either a parent or this branch   |  |
| pranch_level_10_name                | Name of the level 10 branch that is either a parent or this branch   |  |
| pranch_level_2                      | ID of the level 2 branch that is either a parent or this branch  |  |
| pranch_level_2_name                 | Name of the level 2 branch that is either a parent or this branch  |  |
| pranch_level_3                      | ID of the level 3 branch that is either a parent or this branch  |  |
| pranch_level_3_name                 | Name of the level 3 branch that is either a parent or this branch  |  |
| pranch_level_4                      | ID of the level 4 branch that is either a parent or this branch  |  |
| oranch_level_4_name                 | Name of the level 4 branch that is either a parent or this branch  |  |
| pranch_level_5                      | ID of the level 5 branch that is either a parent or this branch  |  |
| pranch_level_5_name                 | Name of the level 5 branch that is either a parent or this branch  |  |
| pranch_level_6                      | ID of the level 6 branch that is either a parent or this branch  |  |
| pranch_level_6_name                 | Name of the level 6 branch that is either a parent or this branch  |  |
| pranch_level_7                      | ID of the level 7 branch that is either a parent or this branch  |  |
|                                     | Name of the level 7 branch that is either a parent of this branch  |  |
| pranch_level_7_name                 |  |  |
| pranch_level_8                      | ID of the level 8 branch that is either a parent or this branch  |  |
| pranch_level_8_name                 | Name of the level 8 branch that is either a parent or this branch  |  |
| pranch_level_9                      | ID of the level 9 branch that is either a parent or this branch  |  |
| pranch_level_9_name                 | Name of the level 9 branch that is either a parent or this branch  |  |
| oranch_name                         | Name of the branch   |  |
| pranch_parent_id                    | ID of the branch   |  |
| completion_rate                     | 1 if completed (date of completion exists) / 0 if not completed  |  |
| count                               | Always 1   |  |
| course_category_id                  | ID of the category of the course   |  |
| course_category_name                | Name of the category of the course   |  |
| course_code                         | Code of the course   |  |
| course_creation_dt                  | Course creation date   |  |
|                                     | Credits for the course   |  |
| ourse_credit                        |  |  |
| course_difficult                    | Difficulty of the course. Possible values: veryeasy, easy, medium, difficult, verydifficult  |  |
| course_external_provider_id         | ID of the external provider. If NULL the course is internal  |  |
| course_external_provider_name       | Name of the external provider. If NULL the course is internal  |  |
| course_id                           | ID of the course   |  |
| course_lang_code                    | Language code of the course  |  |
| course_last_update_dt               | Course last update date  |  |
| course_medium_time_secs             | Course expected time (seconds) to completion set by Admin  |  |
| course_name                         | Name/Title of the course   |  |
| course_publish_dt                   | Course publication date  |  |
| course_selling                      | It identifies a course on sale through e-commerce. Possible values: free, access under payment   |  |
| course_status                       | It specifies if the course is either published or not. Possible values:<br>- effective (published)   |  |
|                                     | - in preparation (unpublished)<br>It specifies whether the course is either e-learning or instructor-led training (ILT). Possible values:  |  |
| course_type                         | - elearning<br>- classroom   |  |
| t_enrollment_course_id              | It identifies a record in the archived_enrollment_course, if the enrollment is archived. Otherwise, it is NULL (not related at all to ILT) |  |
| ec_is_deleted                       | If TRUE, the record is deleted. Otherwise it is FALSE  |  |
| ec_key                              | It is a 32-character surrogate key that identifies the record. It has a unique value because each record is different from the others      |  |
| ec_upd_ts                           | This indicates the date when the record was updated last time (Unix Epoch format)  |  |
| ls_key                              | This value is used internally for calculating the RLS (Row Level Security)   |  |
| iser_branch_ids                     | List of the branch ids the user belongs to   |  |
| ser_email                           | User email   |  |
| ser_enrollment_completion_dt        |  |  |
|                                     | Course completion date   |  |
| ser_enrollment_date_begin_validity  | Course enrollment start date   |  |
| ser_enrollment_date_expire_validity | Course enrollment end date   |  |
| ser_enrollment_first_access_dt      | Course first access date   |  |
| ser_enrollment_initial_score_given  | Course score set by the Course Initial Score Calculation in the advanced settings.   |  |
| iser_enrollment_inscr_dt            | Course enrollment date   |  |
| user_enrollment_is_archived         | If TRUE the enrollment is archived<br>If FALSE the enrollment is live  |  |
| user_enrollment_is_self_enrolled    | If TRUE the user enrolled himself/herself to the course<br>If FALSE the user was enrolled by other   |  |
| user_enrollment_is_waiting          | If TRUE the enrollment is in waiting list. Otherwise, it is FALSE  |  |
|                                     |  |  |

| user_enrollment_last_update        | Course enrollment last update date   |  |
|------------------------------------|--|--|
| user_enrollment_level              | Role of the user in the course. Possible values:<br>- learner<br>- tutor<br>- instructor<br>- coach  |  |
| user_enrollment_score_given        | Course score set by the Course Final Score Calculation in the advanced settings. It indicates the official course score.                   |  |
| user_enrollment_status             | Course enrollment status   |  |
| user_enrollment_subscriber_user_id | ID of the user who created the enrollment. This can be either the enrolled user (self-enrollment) or adifferent person (e.g. a superadmin) |  |
| user_firstname                     | User first name  |  |
| user_group_ids                     | List of the group ids the user belongs to  |  |
| user_id                            | ID of the user   |  |
| user_is_valid                      | If TRUE the user account is active<br>If false the user account is inactive  |  |
| user_lastenter_dt                  | Date when the user logged onto the platform for the last time  |  |
| user_lastname                      | User last name   |  |
| user_level                         | Role of the user in the LMS. Possible values:<br>- user: learner<br>- admin: power user<br>- godadmin: superadmin                          |  |
| user_register_date_dt              | User registration date   |  |
| user_suspend_date_dt               | Date when the user has been suspended (not used anymore)   |  |
| user_userid                        | Username   |  |

|  | Course enrollments and completions by group  |  |  |
|--|--|--|--|
| Column Name  | Description  |  |  |
| roup_name  | Name of the group  |  |  |
| ompletion_rate                                     | 1 if completed (date of completion exists) / 0 if not completed  |  |  |
| ount   | Always 1   |  |  |
| ourse_category_id                                  | ID of the category of the course   |  |  |
| ourse_category_name                                | Name of the category of the course   |  |  |
| ourse_code   | Code of the course   |  |  |
| ourse_creation_dt                                  | Course creation date   |  |  |
| ourse_credit                                       | Credits for the course   |  |  |
| ourse_difficult                                    | Difficulty of the course. Possible values: veryeasy, easy, medium, difficult, verydifficult  |  |  |
| ourse_external_provider_id                         | ID of the external provider. If NULL the course is internal  |  |  |
| ourse_external_provider_name                       | Name of the external provider. If NULL the course is internal  |  |  |
| ourse_id   | ID of the course   |  |  |
|  |  |  |  |
| ourse_lang_code                                    | Language code of the course  |  |  |
| ourse_last_update_dt                               | Course last update date  |  |  |
| ourse_medium_time_secs                             | Course expected time (seconds) to completion set by Admin  |  |  |
| ourse_name   | Name/Title of the course   |  |  |
| ourse_publish_dt                                   | Course publication date  |  |  |
| ourse_selling                                      | It identifies a course on sale through e-commerce. Possible values: free, access under payment   |  |  |
| ourse_status                                       | It specifies if the course is either published or not. Possible values:<br>- effective (published)<br>- in preparation (unpublished)       |  |  |
| course_type  | It specifies whether the course is either e-learning or instructor-led training (ILT). Possible values:<br>- elearning<br>- classroom      |  |  |
| t_enrollment_course_id                             | It identifies a record in the archived_enrollment_course, if the enrollment is archived. Otherwise, it is NULL (not related at all to ILT) |  |  |
| ec_is_deleted                                      | If TRUE, the record is deleted. Otherwise it is FALSE  |  |  |
| ec_key   | It is a 32-character surrogate key that identifies the record. It has a unique value because each record is different from the others      |  |  |
| ec_upd_ts  | This indicates the date when the record was updated last time (Unix Epoch format)  |  |  |
| <br>s_key  | This value is used internally for calculating the RLS (Row Level Security)   |  |  |
| ser_branch_ids                                     | List of the branch ids the user belongs to   |  |  |
| ser_email  | User email   |  |  |
|  |  |  |  |
| ser_enrollment_completion_dt                       | Course completion date   |  |  |
| ser_enrollment_date_begin_validity                 | Course enrollment start date   |  |  |
| ser_enrollment_date_expire_validity                | Course enrollment end date   |  |  |
| ser_enrollment_first_access_dt                     | Course first access date   |  |  |
| ser_enrollment_initial_score_given                 | Course score set by the Course Initial Score Calculation in the advanced settings.   |  |  |
| ser_enrollment_inscr_dt                            | Course enrollment date   |  |  |
| ser_enrollment_is_archived                         | If TRUE the enrollment is archived<br>If FALSE the uses enrolled bimself (barself to the source)   |  |  |
| ser_enrollment_is_self_enrolled                    | If TRUE the user enrolled himself/herself to the course<br>If FALSE the user was enrolled by other   |  |  |
| ser_enrollment_is_waiting                          | If TRUE the enrollment is in waiting list. Otherwise, it is FALSE  |  |  |
| ser_enrollment_last_access_dt                      | Course last access date  |  |  |
| ser_enrollment_last_update<br>ser_enrollment_level | Course enrollment last update date<br>Role of the user in the course. Possible values:<br>- learner<br>- tutor<br>- instructor             |  |  |
|  | - coach  |  |  |
| ser_enrollment_score_given                         | Course score set by the Course Final Score Calculation in the advanced settings. It indicates the official course score.                   |  |  |
| ser_enrollment_status                              | Course enrollment status   |  |  |
| ser_enrollment_subscriber_user_id                  | ID of the user who created the enrollment. This can be either the enrolled user (self- enrollment) or adifferent person (e.g. a superadmin |  |  |
| ser_firstname                                      | User first name  |  |  |
| ser_group_ids                                      | List of the group ids the user belongs to  |  |  |
| ser_id   | ID of the user   |  |  |
| ser_is_valid                                       | If TRUE the user account is active<br>If false the user account is inactive  |  |  |
| ser_lastenter_dt                                   | Date when the user logged onto the platform for the last time  |  |  |
| iser_lastname                                      | User last name<br>Role of the user in the LMS. Possible values:<br>- user: learner<br>- admin: power user<br>- godadmin: superadmin        |  |  |
| ıser_register_date_dt                              | User registration date   |  |  |
| user_suspend_date_dt                               | Date when the user has been suspended (not used anymore)   |  |  |
| iser_userid  | Username   |  |  |

|   | ILT attendance main  |
|---|--|
| Column Name   | Description  |
| course_category_id  | ID of the category of the course   |
| course_category_name  | Name of the category of the course   |
| course_code   | Code of the course   |
| course_creation_dt  | Course creation date   |
|   |  |
| course_credit   | Credits for the course   |
| course_difficult  | Difficulty of the course. Possible values: veryeasy, easy, medium, difficult, verydifficult  |
| course_external_provider_id   | ID of the external provider. If NULL the course is internal  |
| course_external_provider_name   | Name of the external provider. If NULL the course is internal  |
| course_id   | ID of the course   |
| course_lang_code  | Language code of the course  |
| course_last_update_dt   | Course last update date  |
| course_medium_time_secs   | Course expected time (seconds) to completion set by Admin  |
|   | Name/Title of the course   |
| course_name   |  |
| course_publish_dt   | Course publication date  |
| course_rating_rate_average  | Average rating calculated for the course (rounded up to the next integer)  |
| course_rating_rate_count  | Number of provided ratings for the course  |
| course_rating_rate_sum  | Sum of all the ratings   |
| course_selling  | It identifies a course on sale through e-commerce. Possible values: free, access under payment   |
| · · · ·   | It specifies if the course is either published or not. Possible values:  |
| course_status   | - effective (published)  |
| · · · · · · · · · · · · · · · · · · ·   | - in preparation (unpublished)   |
|   | It specifies whether the course is either e-learning or instructor-led training (ILT). Possible values   |
| course_type   | - elearning  |
|   | - classroom  |
| course_validity_days  | Number of days users may access the course after the end of the last session in which they're  |
| course_validity_days  | enrolled   |
|   | It specifies the type of the ILT session. Possible values:   |
|   | - Onsite: The session is entirely available onsite (all events are onsite and/or some are flexible).   |
| It_course_session_attendance_type   | <ul> <li>Online: The session is entirely available online (all events are online and/or some are flexible).</li> <li>Flexible: The session is entirely flexible (all events are flexible).</li> </ul>  |
|   | - Blended: The session is mixed (there is at least 1 event exclusively onsite and 1 event exclusive  |
|   | online, thus the availability of only one type is not possible).   |
| It_course_session_code  | Code of the ILT session  |
| ilt_course_session_date   | Date of the ILT event  |
|   |  |
| It_course_session_date_attendance_effective_duration_hours  | Translation in hours   |
| ilt_course_session_date_attendance_effective_duration_hours_per_u<br>ser  | Divided by the number of users   |
|   | The second function of a structure by the second state of the seco |
| ilt_course_session_date_attendance_effective_duration_mins  | Time spent (minutes) effectively by the user in the training   |
| It_course_session_date_attendance_is_archived   | If TRUE the attendance refers to an archived enrollment. Otherwise, it is FALSE  |
|   | User attendance status. Possible values:   |
|   | 1 = present  |
| ilt_course_session_date_attendance_status   | 0 = no show<br>-1 = (attendance) Not Set   |
|   | NULL = (attendance) Not Set  |
|   | It specifies the type of the ILT event. Possible values:   |
| n   | - Online event   |
| ilt_course_session_date_attendance_type   | - Onsite event   |
|   | - Flexible event   |
|   | The modes through which the user attended the course. Possible values:   |
|   | - live   |
| ilt_course_session_date_attendance_watching_type  | - recording  |
|   | - externally<br>- undefined  |
| la compo constan data la cita   |  |
| It_course_session_date_begin  | Day when the session begins  |
| lt_course_session_date_break_begin_dt   | Start day of the event break   |
| It_course_session_date_break_end_dt   | End day of the event break   |
| It_course_session_date_classroom_id   | ID of the classroom of the ILT event   |
| It_course_session_date_classroom_location_id  | ID of the location of the ILT event  |
| It_course_session_date_classroom_name   | Name of the classroom where the ILT event takes place  |
| It_course_session_date_classroom_seats  | Number of seats of the classroom   |
|   |  |
| It_course_session_date_effective_duration_hour  | Translation in hours   |
|   | Maximum duration for the user for this session   |
| ilt_course_session_date_effective_duration_hour_maxuserid   |  |
|   | Duration of the event excluding the break time   |
| ilt_course_session_date_effective_duration_hour_maxuserid<br>ilt_course_session_date_effective_duration_mins<br>ilt_course_session_date_end | Duration of the event excluding the break time<br>Day when the session ends  |
| ilt_course_session_date_effective_duration_mins   |  |

| the second second and the second second second       | A delessor of the UT assessed as eastern  |
|--|---|
| ilt_course_session_date_location_address             | Address of the ILT event location   |
| ilt_course_session_date_location_country_code        | Code of the ILT event country   |
| ilt_course_session_date_location_country_name        | Name of the ILT event country   |
| ilt_course_session_date_location_name                | Name of the ILT event location  |
| ilt_course_session_date_name                         | Name of the ILT event   |
| ilt_course_session_date_time_begin                   | Start time of the ILT event   |
| ilt_course_session_date_time_end                     | End time of the ILT event   |
| ilt_course_session_date_timezone                     | Timezone of the ILT event   |
| ilt_course_session_date_webinar_tool                 | ID of the webinar tool. Possible values:<br>- custom<br>- msteamsv2meeting<br>- NULL  |
| ilt_course_session_evaluation_type                   | Ways of evaluating the session. Possible values:<br>0 = score based evaluation<br>1 = done through quiz learning object<br>2 = attendance<br>3 = none |
| ilt_course_session_id                                | ID of the ILT session   |
| ilt_course_session_last_update                       | Date when session was updated   |
| ilt_course_session_max_enrolls_number                | Max number of enrollments for the session   |
| ilt_course_session_min_attended_dates_for_completion | Minimum number of events a user has to attend in order to have the session marked as complete   |
| ilt_course_session_min_enrolls_number                | Min number of enrollments for the session   |
| ilt_course_session_name                              | Name of the ILT session   |
| ilt_course_session_score_base                        | Evaluation score base   |
| ilt_course_session_total_hours                       | Duration of the session in hours  |
| ilt_enrollment_course_id                             | It identifies a record in the archived_enrollment_course, if the enrollment is archived. Otherwise, it is NULL  |
| rec_is_deleted                                       | If TRUE, the record is deleted. Otherwise it is FALSE   |
| rec_key  | It is a 32-character surrogate key that identifies the record. It has a unique value because each record is different from the others                 |
| rec_upd_ts   | This indicates the date when the record was updated last time (Unix Epoch format)   |
| rls_key  | This value is used internally for calculating the RLS (Row Level Security)  |
| user_attended  | Boolean value about the attendance  |
| user_attended_label                                  | Yes' if attended, 'No' otherwise  |
| user_branch_ids                                      | List of the branch ids the user belongs to  |
| user_email   | User email  |
| user_enrollment_inscr_dt                             | Enrollment date   |
| user_enrollment_is_self_enrolled                     | If TRUE the user enrolled himself/herself to the course<br>If FALSE the user was enrolled by an Admin or Power User                                   |
| user_enrollment_is_waiting                           | If TRUE the enrollment is in waiting list. Otherwise, value = FALSE   |
| user_enrollment_subscriber_user_id                   | ID of the user/Power User/Superadmin who created the enrollment   |
| user_firstname                                       | User first name   |
| user_group_ids                                       | List of the group ids the user belongs to   |
| user_id  | ID of the user  |
| user_is_valid  | If TRUE the user account is active<br>If FALSE the user account is inactive   |
| user_lastname  | User last name  |
| user_level   | Role of the user in the LMS. Possible values:<br>- user: learner<br>- admin: power user<br>- godadmin: superadmin                                     |
| user_not_attended                                    | Boolean value about the non attendance  |
| user_status  | Active or Inactive  |
| user_userid  | Username  |

| A . I   |  |
|---|--|
| Column Name   | Description  |
| pranch_id   | ID of the branch   |
| ranch_level   | Level of the branch  |
| pranch_level_1  | ID of the level 1 branch that is either a parent or this branch  |
| oranch_level_1_name                                       | Name of the level 1 branch that is either a parent or this branch  |
| oranch_level_10   | ID of the level 10 branch that is either a parent or this branch   |
| pranch_level_10_name                                      | Name of the level 10 branch that is either a parent or this branch   |
| pranch_level_2  | ID of the level 2 branch that is either a parent or this branch  |
| pranch_level_2_name                                       | Name of the level 2 branch that is either a parent or this branch  |
| oranch_level_3  | ID of the level 3 branch that is either a parent or this branch  |
| oranch_level_3_name                                       | Name of the level 3 branch that is either a parent or this branch  |
| pranch_level_4  | ID of the level 4 branch that is either a parent or this branch  |
| pranch_level_4_name                                       | Name of the level 4 branch that is either a parent or this branch  |
| pranch_level_5  | ID of the level 5 branch that is either a parent or this branch  |
| pranch_level_5_name                                       | Name of the level 5 branch that is either a parent or this branch  |
| pranch_level_6  | ID of the level 6 branch that is either a parent or this branch  |
|   | · · · · · · · · · · · · · · · · · · ·  |
| pranch_level_6_name                                       | Name of the level 6 branch that is either a parent or this branch  |
| pranch_level_7  | ID of the level 7 branch that is either a parent or this branch  |
| pranch_level_7_name                                       | Name of the level 7 branch that is either a parent or this branch  |
| pranch_level_8  | ID of the level 8 branch that is either a parent or this branch  |
| pranch_level_8_name                                       | Name of the level 8 branch that is either a parent or this branch  |
| oranch_level_9  | ID of the level 9 branch that is either a parent or this branch  |
| oranch_level_9_name                                       | Name of the level 9 branch that is either a parent or this branch  |
| pranch_name   | Name of the branch   |
| pranch_parent_id  | ID of the branch   |
| course_category_id  | ID of the category of the course   |
| course_category_name                                      | Name of the category of the course   |
| course_code   | Code of the course   |
| course_creation_dt  | Course creation date   |
| course_credit   | Credits for the course   |
| course_difficult  | Difficulty of the course. Possible values: veryeasy, easy, medium, difficult, verydifficult  |
| course_external_provider_id                               | ID of the external provider. If NULL the course is internal  |
| course_external_provider_name                             | Name of the external provider. If NULL the course is internal  |
| course_id   | ID of the course   |
|   |  |
| course_lang_code  | Language code of the course  |
| course_last_update_dt                                     | Course last update date  |
| course_medium_time_secs                                   | Course expected time (seconds) to completion set by Admin  |
| course_name   | Name/Title of the course   |
| course_publish_dt   | Course publication date  |
| course_rating_rate_average                                | Average rating calculated for the course (rounded up to the next integer)  |
| course_rating_rate_count                                  | Number of provided ratings for the course  |
| course_rating_rate_sum                                    | Sum of all the ratings   |
| course_selling  | It identifies a course on sale through e-commerce. Possible values: free, access under payment   |
| course_status   | It specifies if the course is either published or not. Possible values:<br>- effective (published)<br>- in preparation (unpublished)   |
| course_type   | It specifies whether the course is either e-learning or instructor-led training (ILT). Possible values<br>- elearning<br>- classroom   |
| course_validity_days                                      | Number of days users may access the course after the end of the last session in which they're enrolled   |
| t_course_session_attendance_type                          | It specifies the type of the ILT session. Possible values:<br>- Onsite: The session is entirely available onsite (all events are onsite and/or some are flexible).<br>- Online: The session is entirely available online (all events are online and/or some are flexible).<br>- Flexible: The session is entirely flexible (all events are flexible).<br>- Blended: The session is mixed (there is at least 1 event exclusively onsite and 1 event exclusive<br>online, thus the availability of only one type is not possible). |
| It_course_session_code                                    | Code of the ILT session  |
| It_course_session_date                                    | Date of the ILT event  |
| It_course_session_date_attendance_effective_duration_mins | Time spent (minutes) effectively by the user in the training   |
| It_course_session_date_attendance_is_archived             | If TRUE the attendance refers to an archived enrollment. Otherwise, it is FALSE  |

|   | User attendance status. Possible values:   |
|---|--|
| ilt_course_session_date_attendance_status           | 1 = present<br>0 = no show   |
| nt_oourse_session_uale_allenuance_stallus           | -1 = (attendance) Not Set  |
|   | NULL = (attendance) Not Set  |
|   | It specifies the type of the ILT event. Possible values:   |
| ilt_course_session_date_attendance_type             | - Online event<br>- Onsite event   |
|   | - Flexible event   |
|   | The modes through which the user attended the course. Possible values:   |
| it course consists data attendance watching type    | - live   |
| ilt_course_session_date_attendance_watching_type    | - recording<br>- externally  |
|   | - undefined  |
| ilt_course_session_date_begin                       | Day when the session begins  |
| lt_course_session_date_break_begin_dt               | Start day of the event break   |
| lt_course_session_date_break_end_dt                 | End day of the event break   |
| lt_course_session_date_classroom_id                 | ID of the classroom of the ILT event   |
| It_course_session_date_classroom_location_id        | ID of the location of the ILT event  |
| It_course_session_date_classroom_name               | Name of the classroom where the ILT event takes place  |
| It_course_session_date_classroom_seats              | Number of seats of the classroom   |
| It_course_session_date_effective_duration_mins      | Duration of the event excluding the break time   |
| It_course_session_date_end                          | Day when the session ends  |
| ilt_course_session_date_id                          | ID of the ILT event  |
| ilt_course_session_date_instructor_ids              | IDs of the instructors assigned to the session   |
| ilt_course_session_date_location_address            | Address of the ILT event location  |
| It_course_session_date_location_country_code        | Code of the ILT event country  |
| ilt_course_session_date_location_country_name       | Name of the ILT event country  |
| ilt_course_session_date_location_country_name       | Name of the ILT event location   |
| It_course_session_date_name                         | Name of the ILT event  |
| ilt_course_session_date_time_begin                  | Start time of the ILT event  |
| -   | End time of the ILT event  |
| It_course_session_date_time_end                     | Timezone of the ILT event  |
| ilt_course_session_date_timezone                    |  |
|   | ID of the webinar tool. Possible values:<br>- custom   |
| ilt_course_session_date_webinar_tool                | - msteamsv2meeting   |
|   | - NULL   |
|   | Ways of evaluating the session. Possible values:<br>0 = score based evaluation   |
| ilt_course_session_evaluation_type                  | 1 = done through quiz learning object  |
|   | 2 = attendance   |
|   | 3 = none   |
| ilt_course_session_id                               | ID of the ILT session  |
| ilt_course_session_last_update                      | Date when session was updated  |
| It_course_session_max_enrolls_number                | Max number of enrollments for the session  |
| It_course_session_min_attended_dates_for_completion | Minimum number of events a user has to attend in order to have the session marked as complete  |
| It_course_session_min_enrolls_number                | Min number of enrollments for the session  |
| It_course_session_name                              | Name of the ILT session  |
| ilt_course_session_score_base                       | Evaluation score base  |
| ilt_course_session_total_hours                      | Duration of the session in hours   |
| ilt_enrollment_course_id                            | It identifies a record in the archived_enrollment_course, if the enrollment is archived. Otherwise, it                                   |
|   | is NULL  |
| rec_is_deleted                                      | If TRUE, the record is deleted. Otherwise it is FALSE  |
| rec_key   | It is a 32-character surrogate key that identifies the record. It has a unique value because each<br>record is different from the others |
| rec_upd_ts  | This indicates the date when the record was updated last time (Unix Epoch format)  |
| rls_key   | This value is used internally for calculating the RLS (Row Level Security)   |
| ns_key<br>user_branch_ids                           | List of the branch ids the user belongs to   |
| user_branch_los<br>user_email                       | User email   |
|   | Enrollment date  |
| user_enrollment_inscr_dt                            | If TRUE the user enrolled himself/herself to the course  |
| user_enrollment_is_self_enrolled                    | If TRUE the user enrolled himself/herself to the course<br>If FALSE the user was enrolled by an Admin or Power User                      |
| user_enrollment_is_waiting                          | If TRUE the enrollment is in waiting list. Otherwise, value = FALSE  |
| user_enrollment_subscriber_user_id                  | ID of the user/Power User/Superadmin who created the enrollment  |
| user_firstname                                      | User first name  |
|   | List of the group ids the user belongs to  |
| user_group_ids                                      | ID of the user   |
| user_id   | If TRUE the user account is active   |
| user_is_valid                                       | If FALSE the user account is inactive  |

| user_lastname | User last name  |
|---------------|---|
| user_level    | Role of the user in the LMS. Possible values:<br>- user: learner<br>- admin: power user<br>- godadmin: superadmin |
| user_status   | Active or Inactive  |
| user_userid   | Username  |

|  | ILT attendance by group  |  |
|--|--|--|
| Column Name  | Description  |  |
| group_name   | Name of the group  |  |
| course_category_id                                       | ID of the category of the course   |  |
| course_category_name                                     | Name of the category of the course   |  |
| course_code  | Code of the course   |  |
| course_creation_dt                                       | Course creation date   |  |
|  |  |  |
| ourse_credit   | Credits for the course   |  |
| ourse_difficult  | Difficulty of the course. Possible values: veryeasy, easy, medium, difficult, verydifficult  |  |
| ourse_external_provider_id                               | ID of the external provider. If NULL the course is internal  |  |
| ourse_external_provider_name                             | Name of the external provider. If NULL the course is internal  |  |
| course_id  | ID of the course   |  |
| ourse_lang_code  | Language code of the course  |  |
| course_last_update_dt                                    | Course last update date  |  |
| ourse_medium_time_secs                                   | Course expected time (seconds) to completion set by Admin  |  |
| course_name  | Name/Title of the course   |  |
|  |  |  |
| course_publish_dt  | Course publication date  |  |
| ourse_rating_rate_average                                | Average rating calculated for the course (rounded up to the next integer)  |  |
| course_rating_rate_count                                 | Number of provided ratings for the course  |  |
| course_rating_rate_sum                                   | Sum of all the ratings   |  |
| course_selling   | It identifies a course on sale through e-commerce. Possible values: free, access under payment   |  |
| course_status  | It specifies if the course is either published or not. Possible values:<br>- effective (published)<br>- in preparation (unpublished)   |  |
| course_type  | It specifies whether the course is either e-learning or instructor-led training (ILT). Possible value - elearning - classroom  |  |
| course_validity_days                                     | Number of days users may access the course after the end of the last session in which they're enrolled   |  |
| ilt_course_session_attendance_type                       | It specifies the type of the ILT session. Possible values:<br>- Onsite: The session is entirely available onsite (all events are onsite and/or some are flexible)<br>- Online: The session is entirely available online (all events are online and/or some are flexible).<br>- Flexible: The session is entirely flexible (all events are flexible).<br>- Blended: The session is mixed (there is at least 1 event exclusively onsite and 1 event exclusively online, thus the availability of only one type is not possible). |  |
| It_course_session_code                                   | Code of the ILT session  |  |
| t_course_session_date                                    | Date of the ILT event  |  |
| t_course_session_date_attendance_effective_duration_mins | Time spent (minutes) effectively by the user in the training   |  |
| It_course_session_date_attendance_is_archived            | If TRUE the attendance refers to an archived enrollment. Otherwise, it is FALSE  |  |
| It_course_session_date_attendance_status                 | User attendance status. Possible values:<br>1 = present<br>0 = no show<br>-1 = (attendance) Not Set<br>NULL = (attendance) Not Set   |  |
| ilt_course_session_date_attendance_type                  | It specifies the type of the ILT event. Possible values:<br>- Online event<br>- Onsite event<br>- Flexible event   |  |
| ilt_course_session_date_attendance_watching_type         | The modes through which the user attended the course. Possible values:<br>- live<br>- recording<br>- externally<br>- undefined   |  |
| ilt_course_session_date_begin                            | Day when the session begins  |  |
| t_course_session_date_break_begin_dt                     | Start day of the event break   |  |
| t_course_session_date_break_begin_dt                     | End day of the event break   |  |
|  | ID of the classroom of the ILT event   |  |
| It_course_session_date_classroom_id                      |  |  |
| t_course_session_date_classroom_location_id              | ID of the location of the ILT event  |  |
| t_course_session_date_classroom_name                     | Name of the classroom where the ILT event takes place  |  |
| t_course_session_date_classroom_seats                    | Number of seats of the classroom   |  |
| t_course_session_date_effective_duration_mins            | Duration of the event excluding the break time   |  |
| t_course_session_date_end                                | Day when the session ends  |  |
|  | ID of the ILT event  |  |
| It_course_session_date_id                                |  |  |
| It_course_session_date_instructor_ids                    | IDs of the instructors assigned to the session   |  |
| It_course_session_date_location_address                  | Address of the ILT event location  |  |
| ilt_course_session_date_location_country_code            | Code of the ILT event country  |  |
|  | Name of the UT around a combine  |  |
| ilt_course_session_date_location_country_name            | Name of the ILT event country  |  |

| ilt_course_session_date_name                         | Name of the ILT event   |
|--|---|
| ilt_course_session_date_time_begin                   | Start time of the ILT event   |
| ilt_course_session_date_time_end                     | End time of the ILT event   |
| ilt_course_session_date_timezone                     | Timezone of the ILT event   |
| ilt_course_session_date_webinar_tool                 | ID of the webinar tool. Possible values:<br>- custom<br>- msteamsv2meeting<br>- NULL  |
| ilt_course_session_evaluation_type                   | Ways of evaluating the session. Possible values:<br>0 = score based evaluation<br>1 = done through quiz learning object<br>2 = attendance<br>3 = none |
| ilt_course_session_id                                | ID of the ILT session   |
| ilt_course_session_last_update                       | Date when session was updated   |
| ilt_course_session_max_enrolls_number                | Max number of enrollments for the session   |
| ilt_course_session_min_attended_dates_for_completion | Minimum number of events a user has to attend in order to have the session marked as complete   |
| ilt_course_session_min_enrolls_number                | Min number of enrollments for the session   |
| ilt_course_session_name                              | Name of the ILT session   |
| ilt_course_session_score_base                        | Evaluation score base   |
| ilt_course_session_total_hours                       | Duration of the session in hours  |
| ilt_enrollment_course_id                             | It identifies a record in the archived_enrollment_course, if the enrollment is archived. Otherwise, it is NULL  |
| rec_is_deleted                                       | If TRUE, the record is deleted. Otherwise it is FALSE   |
| rec_key  | It is a 32-character surrogate key that identifies the record. It has a unique value because each<br>record is different from the others              |
| rec_upd_ts   | This indicates the date when the record was updated last time (Unix Epoch format)   |
| rls_key  | This value is used internally for calculating the RLS (Row Level Security)  |
| user_branch_ids                                      | List of the branch ids the user belongs to  |
| user_email   | User email  |
| user_enrollment_inscr_dt                             | Enrollment date   |
| user_enrollment_is_self_enrolled                     | If TRUE the user enrolled himself/herself to the course<br>If FALSE the user was enrolled by an Admin or Power User                                   |
| user_enrollment_is_waiting                           | If TRUE the enrollment is in waiting list. Otherwise, value = FALSE   |
| user_enrollment_subscriber_user_id                   | ID of the user/Power User/Superadmin who created the enrollment   |
| user_firstname                                       | User first name   |
| user_group_ids                                       | List of the group ids the user belongs to   |
| user_id  | ID of the user  |
| user_is_valid  | If TRUE the user account is active<br>If FALSE the user account is inactive   |
| user_lastname  | User last name  |
| user_level   | Role of the user in the LMS. Possible values:<br>- user: learner<br>- admin: power user<br>- godadmin: superadmin                                     |
| user_status  | Active or Inactive  |
| user_userid  | Username  |

|  | LT attendance by instructor  |  |
|--|--|--|
| Column Name  | Description  |  |
| group_id   | ID of the group  |  |
| ourse_category_id  | ID of the category of the course   |  |
| ourse_category_name                                      | Name of the category of the course   |  |
| course_code  | Code of the course   |  |
| course_creation_dt                                       | Course creation date   |  |
| course_credit  | Credits for the course   |  |
| course_difficult   | Difficulty of the course. Possible values: veryeasy, easy, medium, difficult, verydifficult  |  |
| course_external_provider_id                              | ID of the external provider. If NULL the course is internal  |  |
| ourse_external_provider_name                             | Name of the external provider. If NULL the course is internal  |  |
| •  | •  |  |
| course_id  | ID of the course   |  |
| course_lang_code   | Language code of the course  |  |
| ourse_last_update_dt                                     | Course last update date  |  |
| ourse_medium_time_secs                                   | Course expected time (seconds) to completion set by Admin  |  |
| course_name  | Name/Title of the course   |  |
| ourse_publish_dt   | Course publication date  |  |
| ourse_rating_rate_average                                | Average rating calculated for the course (rounded up to the next integer)  |  |
| ourse_rating_rate_count                                  | Number of provided ratings for the course  |  |
| course_rating_rate_sum                                   | Sum of all the ratings   |  |
| ourse_selling  | It identifies a course on sale through e-commerce. Possible values: free, access under payment   |  |
| course_status  | It specifies if the course is either published or not. Possible values:<br>- effective (published)<br>- in preparation (unpublished)   |  |
| course_type  | It specifies whether the course is either e-learning or instructor-led training (ILT). Possible value - elearning - classroom  |  |
| course_validity_days                                     | Number of days users may access the course after the end of the last session in which they're enrolled   |  |
| ilt_course_session_attendance_type                       | It specifies the type of the ILT session. Possible values:<br>- Onsite: The session is entirely available onsite (all events are onsite and/or some are flexible).<br>- Online: The session is entirely available online (all events are online and/or some are flexible).<br>- Flexible: The session is entirely flexible (all events are flexible).<br>- Blended: The session is mixed (there is at least 1 event exclusively onsite and 1 event exclusive<br>online, thus the availability of only one type is not possible). |  |
| It_course_session_code                                   | Code of the ILT session  |  |
| t_course_session_date                                    | Date of the ILT event  |  |
| t_course_session_date_attendance_effective_duration_mins | Time spent (minutes) effectively by the user in the training   |  |
| It_course_session_date_attendance_is_archived            | If TRUE the attendance refers to an archived enrollment. Otherwise, it is FALSE  |  |
| It_course_session_date_attendance_status                 | User attendance status. Possible values:<br>1 = present<br>0 = no show<br>-1 = (attendance) Not Set<br>NULL = (attendance) Not Set   |  |
| ilt_course_session_date_attendance_type                  | It specifies the type of the ILT event. Possible values:<br>- Online event<br>- Onsite event<br>- Flexible event   |  |
| ilt_course_session_date_attendance_watching_type         | The modes through which the user attended the course. Possible values:<br>- live<br>- recording<br>- externally<br>- undefined   |  |
| ilt_course_session_date_begin                            | Day when the session begins  |  |
| t_course_session_date_break_begin_dt                     | Start day of the event break   |  |
| t_course_session_date_break_end_dt                       | End day of the event break   |  |
| t_course_session_date_classroom_id                       | ID of the classroom of the ILT event   |  |
| t_course_session_date_classroom_location_id              | ID of the location of the ILT event  |  |
|  |  |  |
| t_course_session_date_classroom_name                     | Name of the classroom where the ILT event takes place  |  |
| t_course_session_date_classroom_seats                    | Number of seats of the classroom   |  |
| t_course_session_date_effective_duration_mins            | Duration of the event excluding the break time   |  |
| It_course_session_date_end                               | Day when the session ends  |  |
| It_course_session_date_id                                | ID of the ILT event  |  |
| It_course_session_date_instructor_id                     | ID of the instructor   |  |
| It_course_session_date_instructor_firstname              | First name of the instructor   |  |
| It_course_session_date_instructor_lastname               | Last name of the instructor  |  |
|  |  |  |
| ilt_course_session_date_instructor_fullname              | Full name of the instructor  |  |

| ilt_course_session_date_location_address             | Address of the ILT event location   |
|--|---|
| ilt_course_session_date_location_country_code        | Code of the ILT event country   |
| ilt_course_session_date_location_country_name        | Name of the ILT event country   |
| ilt_course_session_date_location_name                | Name of the ILT event location  |
| ilt_course_session_date_name                         | Name of the ILT event   |
| ilt_course_session_date_time_begin                   | Start time of the ILT event   |
| ilt_course_session_date_time_end                     | End time of the ILT event   |
| ilt_course_session_date_timezone                     | Timezone of the ILT event   |
| ilt_course_session_date_webinar_tool                 | ID of the webinar tool. Possible values:<br>- custom<br>- msteamsv2meeting<br>- NULL  |
| ilt_course_session_evaluation_type                   | Ways of evaluating the session. Possible values:<br>0 = score based evaluation<br>1 = done through quiz learning object<br>2 = attendance<br>3 = none |
| ilt_course_session_id                                | ID of the ILT session   |
| ilt_course_session_last_update                       | Date when session was updated   |
| ilt_course_session_max_enrolls_number                | Max number of enrollments for the session   |
| ilt_course_session_min_attended_dates_for_completion | Minimum number of events a user has to attend in order to have the session marked as complete   |
| ilt_course_session_min_enrolls_number                | Min number of enrollments for the session   |
| ilt_course_session_name                              | Name of the ILT session   |
| ilt_course_session_score_base                        | Evaluation score base   |
| ilt_course_session_total_hours                       | Duration of the session in hours  |
| ilt_enrollment_course_id                             | It identifies a record in the archived_enrollment_course, if the enrollment is archived. Otherwise, it is NULL  |
| rec_is_deleted                                       | If TRUE, the record is deleted. Otherwise it is FALSE   |
| rec_key  | It is a 32-character surrogate key that identifies the record. It has a unique value because each record is different from the others                 |
| rec_upd_ts   | This indicates the date when the record was updated last time (Unix Epoch format)   |
| rls_key  | This value is used internally for calculating the RLS (Row Level Security)  |
| user_branch_ids                                      | List of the branch ids the user belongs to  |
| user_email   | User email  |
| user_enrollment_inscr_dt                             | Enrollment date   |
| user_enrollment_is_self_enrolled                     | If TRUE the user enrolled himself/herself to the course<br>If FALSE the user was enrolled by an Admin or Power User                                   |
| user_enrollment_is_waiting                           | If TRUE the enrollment is in waiting list. Otherwise, value = FALSE   |
| user_enrollment_subscriber_user_id                   | ID of the user/Power User/Superadmin who created the enrollment   |
| user_firstname                                       | User first name   |
| user_group_ids                                       | List of the group ids the user belongs to   |
| user_id  | ID of the user  |
| user_is_valid  | If TRUE the user account is active<br>If FALSE the user account is inactive   |
| user_lastname  | User last name  |
| user_level   | Role of the user in the LMS. Possible values:<br>- user: learner<br>- admin: power user<br>- godadmin: superadmin                                     |
| user_status  | Active or Inactive  |
| user_userid  | Username  |

|   | Learning plan enrollments main  |  |  |
|---|---|--|--|
| Column Name   | Learning plan enrollments main  |  |  |
| Column Name   | Description   |  |  |
| course_category_id  | ID of the category of the course  |  |  |
| course_category_name  | Name of the category of the course  |  |  |
| course_code   | Code of the course  |  |  |
| course_creation_dt  | Course creation date  |  |  |
| course_credit   | Credits for the course  |  |  |
| course_difficult  | Difficulty of the course. Possible values: veryeasy, easy, medium, difficult, verydifficult   |  |  |
| course_external_provider_id   | ID of the external provider. If NULL the course is internal   |  |  |
| course_external_provider_name   | Name of the external provider. If NULL the course is internal   |  |  |
| course_id   | ID of the course  |  |  |
| course_lang_code  | Language code of the course   |  |  |
| course_last_update_dt   | Course last update date   |  |  |
| course_medium_time_secs   | Course expected time (seconds) to completion set by Admin   |  |  |
| course_name   | Name/Title of the course  |  |  |
| course_publish_dt   | Course publication date   |  |  |
| course_selling  | It identifies a course on sale through e-commerce. Possible values: free, access under payment  |  |  |
| - •   | It specifies if the course is either published or not. Possible values:   |  |  |
| course_status   | - effective (published)   |  |  |
|   | - in preparation (unpublished)  |  |  |
|   | It specifies whether the course is either e-learning or instructor-led training (ILT). Possible values:   |  |  |
| course_type   | - elearning<br>- classroom  |  |  |
| ilt_enrollment_course_id  | It identifies a record in the archived_enrollment_course, if the enrollment is archived. Otherwise, it is NULL  |  |  |
|   | Learning plan enrollment status. Possible values:   |  |  |
| learning_plan_actual_status   | - completed   |  |  |
| icumiy_pian_actual_status   | - subscribed  |  |  |
|   | - in progress   |  |  |
| learning_plan_author_name   | Name of the creator of the learning plan  |  |  |
| learning_plan_author_user_id  | ID of the creator of the learning plan  |  |  |
| learning_plan_code  | Code of the learning plan   |  |  |
| learning_plan_completion_dt   | Learning plan completion date, the last mandatory course completed is the one that provides info about the completion date  |  |  |
| learning_plan_create_dt   | Learning plan creation date   |  |  |
| learning_plan_days_valid  | If not NULL, it specifies the number of days users may access the learning plan after first access  |  |  |
|   | It indicates how to calculate the learning plan validity. Possible values:  |  |  |
| learning_plan_days_valid_type   | 0 = from the first course access date<br>1 = from the enrollment date   |  |  |
| learning_plan_description   | I = from the enrollment date Description of the learning plan   |  |  |
|   | Learning plan enrollment date   |  |  |
| learning_plan_enrollment_dt   |   |  |  |
| learning_plan_expiration_dt   | Learning plan enrollment end date   |  |  |
| learning_plan_has_sequential_mode   | If TRUE the courses in the learning plan must be accessed in a predefined sequential mode<br>If FALSE the courses in the learning plan can be accessed randomly   |  |  |
| learning_plan_id  | ID of the learning plan   |  |  |
|   | If TRUE the user enrolled himself/herself to the learning plan  |  |  |
| learning_plan_is_self_enrollment  | If FALSE the user was enrolled by other   |  |  |
| learning_plan_last_update_dt  | Learning plan latest update date  |  |  |
| learning_plan_name  | Name of the learning plan   |  |  |
| learning_plan_number_of_courses   | Number of courses in the learning plan  |  |  |
| learning_plan_subscriber_user_id  | ID of the user who created the enrollment. This can be either the enrolled user (self- enrollment) or adifferent person (e.g. a superadmin)   |  |  |
| learning_plan_updated_by_name   | Name of the user who updated the learning plan last time  |  |  |
| learning_plan_updated_by_user_id  | ID of the user who updated the learning plan last time  |  |  |
| learning_plan_user_progress_within_the_lp   | It indicates the user's progression as a percentage towards the completion of the learning plan   |  |  |
| rec_is_deleted  | If TRUE, the record is deleted. Otherwise it is FALSE   |  |  |
| rec_key   | It is a 32-character surrogate key that identifies the record. It has a unique value because each record is different from the others   |  |  |
| rec_upd_ts  | This indicates the date when the record was updated last time (Unix Epoch format)   |  |  |
| rls_key   | This value is used internally for calculating the RLS (Row Level Security)  |  |  |
| •   |   |  |  |
| user_branch_ids<br>user_email   | List of the branch ids the user belongs to User email   |  |  |
| user_email<br>user_enrollment_completion_dt   |   |  |  |
|   | Course completion date  |  |  |
| user_enrollment_date_begin_validity   | Course enrollment start date  |  |  |
| user_enrollment_date_expire_validity  | Course enrollment end date  |  |  |
| user_enrollment_first_access_dt   | Course first access date  |  |  |
| user_enrollment_initial_score_given   | Course score set by the Course Initial Score Calculation in the advanced settings.  |  |  |
| user_enrollment_inscr_dt  | Course enrollment date  |  |  |
| user_enrollment_is_archived   | If TRUE the enrollment is archived<br>If FALSE the enrollment is live   |  |  |
|   | If TRUE the user enrolled himself/herself to the course   |  |  |
| user_enrollment_is_self_enrolled  | If FALSE the user was enrolled by other   |  |  |
| user_enrollment_is_waiting  | If TRUE the enrollment is in waiting list. Otherwise, it is FALSE   |  |  |
| user_enrollment_last_access_dt  | Course last access date   |  |  |
| user_enrollment_last_update   | Course enrollment last update date  |  |  |
|   | Role of the user in the course. Possible values:  |  |  |
|   | - learner   |  |  |
| user_enrollment_level   | - tutor<br>- instructor   |  |  |
|   | - instructor  |  |  |
|   | Course score set by the Course Final Score Calculation in the advanced settings. It indicates the official course score.  |  |  |
| user enrollment score given   |   |  |  |
| user_enrollment_score_given   |   |  |  |
| user_enrollment_status  | Course enrollment status  |  |  |
| user_enrollment_status<br>user_enrollment_subscriber_user_id  | Course enrollment status<br>ID of the user who created the enrollment. This can be either the enrolled user (self- enrollment) or adifferent person (e.g. a superadmin)   |  |  |
| user_enrollment_status<br>user_enrollment_subscriber_user_id<br>user_firstname  | Course enrollment status<br>ID of the user who created the enrollment. This can be either the enrolled user (self- enrollment) or adifferent person (e.g. a superadmin)<br>User first name  |  |  |
| user_enrollment_status<br>user_enrollment_subscriber_user_id<br>user_firstname<br>user_group_ids  | Course enrollment status<br>ID of the user who created the enrollment. This can be either the enrolled user (self- enrollment) or adifferent person (e.g. a superadmin)<br>User first name<br>List of the group ids the user belongs to   |  |  |
| user_enrollment_status<br>user_enrollment_subscriber_user_id<br>user_firstname  | Course enrollment status ID of the user who created the enrollment. This can be either the enrolled user (self-enrollment) or adifferent person (e.g. a superadmin) User first name List of the group ids the user belongs to ID of the user  |  |  |
| user_enrollment_status<br>user_enrollment_subscriber_user_id<br>user_firstname<br>user_group_ids  | Course enrollment status ID of the user who created the enrollment. This can be either the enrolled user (self- enrollment) or adifferent person (e.g. a superadmin) User first name List of the group ids the user belongs to ID of the user IT TRUE the user account is active  |  |  |
| user_enrollment_status<br>user_enrollment_subscriber_user_id<br>user_firstname<br>user_group_ids<br>user_id<br>user_is_valid  | Course enrollment status ID of the user who created the enrollment. This can be either the enrolled user (self- enrollment) or adifferent person (e.g. a superadmin) User first name List of the group ids the user belongs to ID of the user If TRUE the user account is active If false the user account is inactive  |  |  |
| user_enrollment_status<br>user_enrollment_subscriber_user_id<br>user_firstname<br>user_group_ids<br>user_id<br>user_is_valid<br>user_lastenter_dt   | Course enrollment status ID of the user who created the enrollment. This can be either the enrolled user (self-enrollment) or adifferent person (e.g. a superadmin) User first name IL sto of the group ids the user belongs to ID of the user IT TRUE the user account is active If TRUE the user account is inactive Date when the user logged onto the platform for the last time  |  |  |
| user_enrollment_status<br>user_enrollment_subscriber_user_id<br>user_firstname<br>user_group_ids<br>user_id<br>user_is_valid  | Course enrollment status ID of the user who created the enrollment. This can be either the enrolled user (self-enrollment) or adifferent person (e.g. a superadmin) User first name List of the group ids the user belongs to ID of the user If TRUE the user account is active If false the user account is inactive Date when the user logged onto the platform for the last time User last name  |  |  |
| user_enrollment_status<br>user_enrollment_subscriber_user_id<br>user_firstname<br>user_ids<br>user_is_valid<br>user_lastenter_dt<br>user_lastname   | Course enrollment status ID of the user who created the enrollment. This can be either the enrolled user (self-enrollment) or adifferent person (e.g. a superadmin) User first name IL sto of the group ids the user belongs to ID of the user IT TRUE the user account is active If TRUE the user account is inactive Date when the user logged onto the platform for the last time  |  |  |
| user_enrollment_status<br>user_enrollment_subscriber_user_id<br>user_firstname<br>user_group_ids<br>user_id<br>user_is_valid<br>user_lastenter_dt   | Course enrollment status D of the user who created the enrollment. This can be either the enrolled user (self-enrollment) or adifferent person (e.g. a superadmin) User first name List of the group ids the user belongs to D of the user If TRUE the user account is active If false the user account is inactive Date when the user logged ont the platform for the last time User last name Role of the user in the LMS. Possible values: - user: learner - admin: power user   |  |  |
| user_enrollment_status<br>user_enrollment_subscriber_user_id<br>user_firstname<br>user_group_ids<br>user_is_valid<br>user_lastenter_dt<br>user_lastname<br>user_level                                     | Course enrollment status ID of the user who created the enrollment. This can be either the enrolled user (self-enrollment) or adifferent person (e.g. a superadmin) User first name ID of the user account is active If TRUE the user account is inactive Date when the user logged onto the platform for the last time User last name Role of the user in the LMS. Possible values: - user: learner - admin: power user - admin: power user - admin: but the user user user user user user user use                            |  |  |
| user_enrollment_status<br>user_enrollment_subscriber_user_id<br>user_firstname<br>user_group_ids<br>user_id<br>user_is_valid<br>user_lastenter_dt<br>user_lastname<br>user_level<br>user_register_date_dt | Course enrollment status ID of the user who created the enrollment. This can be either the enrolled user (self-enrollment) or adifferent person (e.g. a superadmin) User first name List of the group ids the user belongs to ID of the user If TRUE the user account is active If false the user account is inactive Date when the user logged onto the platform for the last time User last name Role of the user in the LMS. Possible values: - user: learner - admin: power user - admin: power user User registration date |  |  |
| user_enrollment_status<br>user_enrollment_subscriber_user_id<br>user_firstname<br>user_group_ids<br>user_is_valid<br>user_lastenter_dt<br>user_lastname<br>user_level                                     | Course enrollment status ID of the user who created the enrollment. This can be either the enrolled user (self-enrollment) or adifferent person (e.g. a superadmin) User first name ID of the user account is active If TRUE the user account is inactive Date when the user logged onto the platform for the last time User last name Role of the user in the LMS. Possible values: - user: learner - admin: power user - admin: power user - admin: but the user user user user user user user use                            |  |  |

| count                                     | Always 1 as value  |                     |                 |                    |
|---|--|---------------------|-----------------|--------------------|
| enrollment_status_is_completed            | 1 if course completed, 0 otherwise   |                     |                 |                    |
| enrollment_status_is_progress             | 1 if course status is 'In progress', 0 otherwise   |                     |                 |                    |
| enrollment_status_is_subscribed           | 1 if course status is 'To begin', 0 otherwise  |                     |                 |                    |
| lp_max_course_id_per_user                 | Max course id for the user and the learning plan   |                     |                 |                    |
| lp_enrollment_is_overdue                  | Boolean, 1 if an expiration date exists and is either older than the completion date or today (if no completion recorded)  |                     |                 |                    |
| is_completed                              | 1 if course completed, 0 otherwise   |                     |                 |                    |
| enrollment_to_completion_diff             | Number of hours between the completion date and the enrollment date  |                     |                 |                    |
| firstaccess_to_completion_diff            | Number of minutes between the completion date and the date of first access   |                     |                 |                    |
| first_access_to_completion_diff_label     | Number of minutes between the completion date and the date of first access, classified in ranges: "n < 15min" / "15min < n < 30min" / "30min" / "3 | n < n < 60min" / "6 | 0min < n < 120m | in" / "120min < n" |
| user_fullname                             | Concatenation of the first name and last name  |                     |                 |                    |
| lp_completion_rate                        | Only displayed if the course_id is the maximum one of the learning plan, 1 if learning plan courses are all completed, 0 otherwise   |                     |                 |                    |
| lp_progress_rate                          | Only displayed if the course_id is the maximum one of the learning plan, and corresponds to learning_plan_user_progress_within_the_lp / 100  |                     |                 |                    |
| user_fullname_with_id                     | Concatenation of the first name, last name, and userid   |                     |                 |                    |
| is_enrollment_overdue_in_lp               | 1 if expiration date defined for the learning plan, and has been reached   |                     |                 |                    |
| is_enrollment_with_max_course_id_per_user | 1 if this course is the max course of the learning plan  |                     |                 |                    |
| lp_overdue_rate                           | 1 if the learning plan is overdue, 0 otherwise   |                     |                 |                    |
| lp_is_enrollment_after_completion         | 1 if enrollment date to the learning plan is more recent than the completion date of the same learning plan  |                     |                 |                    |
| learning_plan_actual_status_label         | Enrolled', 'In Progress', or 'Completed'   |                     |                 |                    |

| Column Name  | Learning plan enrollments by branch Description   |
|--|---|
| pranch_id  | ID of the branch  |
|  | Level of the branch   |
| ranch_level  |   |
| ranch_level_1  | ID of the level 1 branch that is either a parent or this branch   |
| pranch_level_1_name                                  | Name of the level 1 branch that is either a parent or this branch   |
| ranch_level_10                                       | ID of the level 10 branch that is either a parent or this branch  |
| ranch_level_10_name                                  | Name of the level 10 branch that is either a parent or this branch  |
| ranch_level_2  | ID of the level 2 branch that is either a parent or this branch   |
| ranch_level_2_name                                   | Name of the level 2 branch that is either a parent or this branch   |
| ranch_level_3  | ID of the level 3 branch that is either a parent or this branch   |
| vranch_level_3_name                                  | Name of the level 3 branch that is either a parent or this branch   |
| pranch_level_4                                       | ID of the level 4 branch that is either a parent or this branch   |
| ranch_level_4_name                                   | Name of the level 4 branch that is either a parent or this branch   |
|  | ·   |
| ranch_level_5  | ID of the level 5 branch that is either a parent or this branch   |
| ranch_level_5_name                                   | Name of the level 5 branch that is either a parent or this branch   |
| ranch_level_6  | ID of the level 6 branch that is either a parent or this branch   |
| ranch_level_6_name                                   | Name of the level 6 branch that is either a parent or this branch   |
| ranch_level_7  | ID of the level 7 branch that is either a parent or this branch   |
| ranch_level_7_name                                   | Name of the level 7 branch that is either a parent or this branch   |
| ranch_level_8  | ID of the level 8 branch that is either a parent or this branch   |
|  | Name of the level 8 branch that is either a parent or this branch   |
| ranch_level_8_name                                   |   |
| ranch_level_9  | ID of the level 9 branch that is either a parent or this branch   |
| ranch_level_9_name                                   | Name of the level 9 branch that is either a parent or this branch   |
| ranch_name   | Name of the branch  |
| ranch_parent_id                                      | ID of the branch  |
| ount   | Always 1 as value   |
| ourse_category_id                                    | ID of the category of the course  |
| ourse_category_name                                  | Name of the category of the course  |
|  |   |
| ourse_code   | Code of the course  |
| ourse_creation_dt                                    | Course creation date  |
| ourse_credit   | Credits for the course  |
| ourse_difficult                                      | Difficulty of the course. Possible values: veryeasy, easy, medium, difficult, verydifficult   |
| ourse_external_provider_id                           | ID of the external provider. If NULL the course is internal   |
| course_external_provider_name                        | Name of the external provider. If NULL the course is internal   |
| course_id  | ID of the course  |
| ourse_lang_code                                      | Language code of the course   |
| ourse_last_update_dt                                 | Course last update date   |
|  | •   |
| ourse_medium_time_secs                               | Course expected time (seconds) to completion set by Admin   |
| course_name  | Name/Title of the course  |
| ourse_publish_dt                                     | Course publication date   |
| ourse_selling  | It identifies a course on sale through e-commerce. Possible values: free, access under payment  |
| course_status  | It specifies if the course is either published or not. Possible values:<br>- effective (published)<br>- in preparation (unpublished)                |
| course_type  | It specifies whether the course is either e-learning or instructor-led training (ILT). Possible values:<br>- elearning<br>- classroom               |
| t_enrollment_course_id                               | It identifies a record in the archived_enrollment_course, if the enrollment is archived. Otherwise, it is NULL                                      |
| earning_plan_actual_status                           | Learning plan enrollment status. Possible values:<br>- completed<br>- subscribed<br>- in progress   |
| earning_plan_author_name                             | Name of the creator of the learning plan  |
| earning_plan_author_user_id                          | ID of the creator of the learning plan  |
| earning_plan_code                                    | Code of the learning plan   |
| earning_plan_completion_dt                           | Learning plan completion date   |
| <b>v</b> =1 = 1 =                                    |   |
| earning_plan_create_dt                               | Learning plan creation date   |
| earning_plan_days_valid                              | If not NULL, it specifies the number of days users may access the learning plan after first access  |
| earning_plan_days_valid_type                         | It indicates how to calculate the learning plan validity. Possible values:<br>0 = from the first course access date<br>1 = from the enrollment date |
| earning_plan_description                             | Description of the learning plan  |
| earning_plan_enrollment_dt                           | Learning plan enrollment date   |
| earning_plan_expiration_dt                           | Learning plan enrollment end date   |
|  | If TRUE the courses in the learning plan must be accessed in a predefined sequential mode   |
| earning_plan_has_sequential_mode                     | If FALSE the courses in the learning plan can be accessed randomly  |
| arning_plan_id                                       | ID of the learning plan   |
|  | ID of the learning plan If TRUE the user enrolled himself/herself to the learning plan  |
| learning_plan_id<br>learning_plan_is_self_enrollment |   |

| learning_plan_name                        | Name of the learning plan   |
|---|---|
| ÷ ·                                       |   |
| learning_plan_number_of_courses           | Number of courses in the learning plan  |
| learning_plan_subscriber_user_id          | ID of the user who created the enrollment. This can be either the enrolled user (self- enrollment) or adifferent person (e.g. a superadmin) |
| learning_plan_updated_by_name             | Name of the user who updated the learning plan last time  |
| learning_plan_updated_by_user_id          | ID of the user who updated the learning plan last time  |
| learning_plan_user_progress_within_the_lp | It indicates the user's progression as a percentage towards the completion of the learning plan   |
| rec_is_deleted                            | If TRUE, the record is deleted. Otherwise it is FALSE   |
| rec_key                                   | It is a 32-character surrogate key that identifies the record. It has a unique value because each record is different from the others       |
| rec_upd_ts                                | This indicates the date when the record was updated last time (Unix Epoch format)   |
| rls_key                                   | This value is used internally for calculating the RLS (Row Level Security)  |
| user_branch_ids                           | List of the branch ids the user belongs to  |
| user_email                                | User email  |
| user_enrollment_completion_dt             | Course completion date  |
| user_enrollment_date_begin_validity       | Course enrollment start date  |
| user_enrollment_date_expire_validity      | Course enrollment end date  |
| user_enrollment_first_access_dt           | Course first access date  |
| user_enrollment_initial_score_given       | Course score set by the Course Initial Score Calculation in the advanced settings.  |
| user_enrollment_inscr_dt                  | Course enrollment date  |
| user_enrollment_is_archived               | If TRUE the enrollment is archived<br>If FALSE the enrollment is live   |
| user_enrollment_is_self_enrolled          | If TRUE the user enrolled himself/herself to the course<br>If FALSE the user was enrolled by other  |
| user_enrollment_is_waiting                | If TRUE the enrollment is in waiting list. Otherwise, it is FALSE   |
| user_enrollment_last_access_dt            | Course last access date   |
| user_enrollment_last_update               | Course enrollment last update date  |
| user_enrollment_level                     | Role of the user in the course. Possible values:<br>- learner<br>- tutor<br>- instructor<br>- coach   |
| user_enrollment_score_given               | Course score set by the Course Final Score Calculation in the advanced settings. It indicates the official course score.                    |
| user_enrollment_status                    | Course enrollment status  |
| user_enrollment_subscriber_user_id        | ID of the user who created the enrollment. This can be either the enrolled user (self- enrollment) or adifferent person (e.g. a superadmin) |
| user_firstname                            | User first name   |
| user_group_ids                            | List of the group ids the user belongs to   |
| user_id                                   | ID of the user  |
| user_is_valid                             | If TRUE the user account is active<br>If false the user account is inactive   |
| user_lastenter_dt                         | Date when the user logged onto the platform for the last time   |
| user_lastname                             | User last name  |
| user_level                                | Role of the user in the LMS. Possible values:<br>- user: learner<br>- admin: power user<br>- godadmin: superadmin                           |
| user_register_date_dt                     | User registration date  |
| user_suspend_date_dt                      | Date when the user has been suspended (not used anymore)  |
| user userid                               | Username  |

| Column Name   | Description   |
|---|---|
| ount  | Always 1 as value   |
| ourse_category_id                                       | ID of the category of the course  |
| ourse_category_name                                     | Name of the category of the course  |
| ourse_code  | Code of the course  |
| —   | Course creation date  |
| ourse_creation_dt                                       |   |
| ourse_credit  | Credits for the course  |
| ourse_difficult   | Difficulty of the course. Possible values: veryeasy, easy, medium, difficult, verydifficult   |
| ourse_external_provider_id                              | ID of the external provider. If NULL the course is internal   |
| ourse_external_provider_name                            | Name of the external provider. If NULL the course is internal   |
| ourse_id  | ID of the course  |
| ourse_lang_code   | Language code of the course   |
| ourse_last_update_dt                                    | Course last update date   |
| ourse_medium_time_secs                                  | Course expected time (seconds) to completion set by Admin   |
| ourse_name  | Name/Title of the course  |
| ourse_publish_dt  | Course publication date   |
| ourse_selling   | It identifies a course on sale through e-commerce. Possible values: free, access under payment  |
| ourse_status  | It specifies if the course is either published or not. Possible values:<br>- effective (published)<br>- in preparation (unpublished)  |
| ourse_type  | It specifies whether the course is either e-learning or instructor-led training (ILT). Possible values:<br>- elearning<br>- classroom   |
| roup_name   | Name of the group   |
| •   | It identifies a record in the archived_enrollment_course, if the enrollment is archived. Otherwise, it is NULL  |
| t_enrollment_course_id                                  |   |
| earning_plan_actual_status                              | Learning plan enrollment status. Possible values:<br>- completed<br>- subscribed<br>- in progress   |
| earning_plan_author_name                                | Name of the creator of the learning plan  |
| earning_plan_author_user_id                             | ID of the creator of the learning plan  |
| earning_plan_code                                       | Code of the learning plan   |
| arning_plan_completion_dt                               | Learning plan completion date   |
|   |   |
| earning_plan_create_dt                                  | Learning plan creation date   |
| earning_plan_days_valid<br>earning_plan_days_valid_type | If not NULL, it specifies the number of days users may access the learning plan after first access<br>It indicates how to calculate the learning plan validity. Possible values:<br>0 = from the first course access date |
| coming plan description                                 | 1 = from the enrollment date  |
| earning_plan_description                                | Description of the learning plan  |
| earning_plan_enrollment_dt                              | Learning plan enrollment date   |
| earning_plan_expiration_dt                              | Learning plan enrollment end date   |
| earning_plan_has_sequential_mode<br>earning_plan_id     | If TRUE the courses in the learning plan must be accessed in a predefined sequential mode<br>If FALSE the courses in the learning plan can be accessed randomly<br>ID of the learning plan                                |
|   | If TRUE the user enrolled himself/herself to the learning plan  |
| earning_plan_is_self_enrollment                         | If FALSE the user was enrolled by other   |
| earning_plan_last_update_dt                             | Learning plan latest update date  |
| earning_plan_name                                       | Name of the learning plan   |
| earning_plan_number_of_courses                          | Number of courses in the learning plan  |
| earning_plan_subscriber_user_id                         | D of the user who created the enrollment. This can be either the enrolled user (self- enrollment) or adifferent person (e.g. a superadmin   |
| earning_plan_updated_by_name                            | Name of the user who updated the learning plan last time  |
| earning_plan_updated_by_user_id                         | ID of the user who updated the learning plan last time  |
| earning_plan_user_progress_within_the_lp                | It indicates the user's progression as a percentage towards the completion of the learning plan   |
| ec_is_deleted   | If TRUE, the record is deleted. Otherwise it is FALSE   |
| ec_key  | It is a 32-character surrogate key that identifies the record. It has a unique value because each record is different from the others   |
| ec_upd_ts   | This indicates the date when the record was updated last time (Unix Epoch format)   |
| s_key   | This value is used internally for calculating the RLS (Row Level Security)  |
| ser_branch_ids  | List of the branch ids the user belongs to  |
| ser_branch_ids  | User email  |
|   |   |
| ser_enrollment_completion_dt                            | Course completion date  |
| ser_enrollment_date_begin_validity                      | Course enrollment start date  |
| ser_enrollment_date_expire_validity                     | Course enrollment end date  |
| ser_enrollment_first_access_dt                          | Course first access date  |
| ser_enrollment_initial_score_given                      | Course score set by the Course Initial Score Calculation in the advanced settings.  |
| ser_enrollment_inscr_dt                                 | Course enrollment date  |
| ser_enrollment_is_archived                              | If TRUE the enrollment is archived<br>If FALSE the enrollment is live   |
| ser_enrollment_is_self_enrolled                         | If TRUE the user enrolled himself/herself to the course   |
|   | If FALSE the user was enrolled by other   |

| user_enrollment_last_access_dt     | Course last access date   |
|------------------------------------|---|
| user_enrollment_last_update        | Course enrollment last update date  |
| user_enrollment_level              | Role of the user in the course. Possible values:<br>- learner<br>- tutor<br>- instructor<br>- coach   |
| user_enrollment_score_given        | Course score set by the Course Final Score Calculation in the advanced settings. It indicates the official course score.                    |
| user_enrollment_status             | Course enrollment status  |
| user_enrollment_subscriber_user_id | ID of the user who created the enrollment. This can be either the enrolled user (self- enrollment) or adifferent person (e.g. a superadmin) |
| user_firstname                     | User first name   |
| user_group_ids                     | List of the group ids the user belongs to   |
| user_id                            | ID of the user  |
| user_is_valid                      | If TRUE the user account is active<br>If false the user account is inactive   |
| user_lastenter_dt                  | Date when the user logged onto the platform for the last time   |
| user_lastname                      | User last name  |
| user_level                         | Role of the user in the LMS. Possible values:<br>- user: learner<br>- admin: power user<br>- godadmin: superadmin                           |
| user_register_date_dt              | User registration date  |
| user_suspend_date_dt               | Date when the user has been suspended (not used anymore)  |
| user_userid                        | Username  |

| Column Name                          | Time spent on learning main Description   |
|--------------------------------------|---|
|                                      |   |
|                                      | Always 1  |
| course_category_id                   | ID of the category of the course  |
| course_category_name                 | Name of the category of the course  |
| course_code                          | Code of the course  |
| course_creation_dt                   | Course creation date  |
| course_credit                        | Credits for the course  |
| course_difficult                     | Difficulty of the course. Possible values: veryeasy, easy, medium, difficult, verydifficult   |
| course_external_provider_id          | ID of the external provider. If NULL the course is internal   |
| course_external_provider_name        | Name of the external provider. If NULL the course is internal   |
| course_id                            | ID of the course  |
| course_lang_code                     | Language code of the course   |
| course_last_update_dt                | Course last update date   |
| course_medium_time_secs              | Course expected time (seconds) to completion set by Admin   |
| course_name                          | Name/Title of the course  |
| course_publish_dt                    | Course publication date   |
| course_selling                       | It identifies a course on sale through e-commerce. Possible values: free, access under payment  |
| course_status                        | It specifies if the course is either published or not. Possible values:<br>- effective (published)<br>- in preparation (unpublished)  |
|                                      | It specifies whether the course is either e-learning or instructor-led training (ILT). Possible values  |
|                                      | - elearning   |
| course_type                          | - classroom   |
| Current period                       | Total time spend on learning for the current period (the X last days, X as defined by 'period step')  |
| ilt_enrollment_course_id             | It identifies a record in the archived_enrollment_course, if the enrollment is archived. Otherwise,<br>is NULL  |
| last_dt_before_completion_dt         | Boolean, 1 if enter_date (tracksession) is before completion_date for current row   |
| period step                          | 30 days   |
|                                      | Total time spend on learning for the previous period (the period before the 'Current period' of the same duration : so the period between 2X days ago and (X+1) days ago, X as defined by 'period |
| Previous period                      | step')  |
| rec_is_deleted                       | If TRUE, the record is deleted. Otherwise it is FALSE<br>It is a 32-character surrogate key that identifies the record. It has a unique value because each<br>record is different from the others |
| rec_upd_ts                           | This indicates the date when the record was updated last time (Unix Epoch format)   |
| rls_key                              | This value is used internally for calculating the RLS (Row Level Security)  |
| time_spent                           | Session duration (in seconds)   |
| time_spent_hour                      | Session duration (in hours)   |
| time_spent_hour_avg                  | Average time spent by user_id (in hours)  |
| time_spent_min                       | Session duration (in minutes)   |
| time_spent_ml                        | Session duration (in records) after the Machine Learning model's intervention   |
| -                                    |   |
| tracksession_enter_dt                | Time when the session starts  |
| tracksession_id                      | Unique ID of the specific session   |
| tracksession_last_dt                 | Time when the session ends  |
| user_branch_ids                      | List of the branch ids the user belongs to  |
| user_count                           | Number of users   |
| user_email                           | User email  |
| user_enrollment_completion_dt        | Course completion date  |
| user_enrollment_date_begin_validity  | Course enrollment start date  |
| user_enrollment_date_expire_validity | Course enrollment end date  |
| user_enrollment_first_access_dt      | Course first access date  |
| user_enrollment_initial_score_given  | Course score set by the Course Initial Score Calculation in the advanced settings.  |
| user_enrollment_inscr_dt             | Course enrollment date  |
| user_enrollment_is_archived          | If TRUE the enrollment is archived<br>If FALSE the enrollment is live   |
| user_enrollment_is_self_enrolled     | If TRUE the user enrolled himself/herself to the course<br>If FALSE the user was enrolled by other  |
| user_enrollment_is_waiting           | If TRUE the enrollment is in waiting list. Otherwise, it is FALSE   |

| user_enrollment_last_access_dt     | Course last access date  |
|------------------------------------|--|
| user_enrollment_last_update        | Course enrollment last update date   |
| user_enrollment_level              | Role of the user in the course. Possible values:<br>- learner<br>- tutor<br>- instructor<br>- coach  |
| user_enrollment_score_given        | Course score set by the Course Final Score Calculation in the advanced settings. It indicates the official course score.                       |
| user_enrollment_status             | Course enrollment status   |
| user_enrollment_subscriber_user_id | ID of the user who created the enrollment. This can be either the enrolled user (self- enrollment) or<br>adifferent person (e.g. a superadmin) |
| user_firstname                     | User first name  |
| user_fullname                      | User full name   |
| user_group_ids                     | List of the group ids the user belongs to  |
| user_id                            | ID of the user   |
| user_is_valid                      | If TRUE the user account is active<br>If false the user account is inactive  |
| user_lastenter_dt                  | Date when the user logged onto the platform for the last time  |
| user_lastname                      | User last name   |
| user_level                         | Role of the user in the LMS. Possible values:<br>- user: learner<br>- admin: power user<br>- godadmin: superadmin                              |
| user_register_date_dt              | User registration date   |
| user_suspend_date_dt               | Date when the user has been suspended (not used anymore)   |
| user_userid                        | Username   |

|                              | Time spent on learning by branch  |
|------------------------------|---|
| Column Name                  | Description   |
| branch_id                    | ID of the branch  |
| pranch_level                 | Level of the branch   |
| pranch_level_1               | ID of the level 1 branch that is either a parent or this branch                                       |
| pranch_level_1_name          | Name of the level 1 branch that is either a parent or this branch                                     |
| pranch_level_10              | ID of the level 10 branch that is either a parent or this branch                                      |
| pranch_level_10_name         | Name of the level 10 branch that is either a parent or this branch                                    |
| branch_level_2               | ID of the level 2 branch that is either a parent or this branch                                       |
| pranch_level_2_name          | Name of the level 2 branch that is either a parent or this branch                                     |
| pranch_level_3               | ID of the level 3 branch that is either a parent or this branch                                       |
| pranch_level_3_name          | Name of the level 3 branch that is either a parent or this branch                                     |
| pranch_level_4               | ID of the level 4 branch that is either a parent or this branch                                       |
| pranch_level_4_name          | Name of the level 4 branch that is either a parent or this branch                                     |
| pranch_level_5               | ID of the level 5 branch that is either a parent or this branch                                       |
| pranch_level_5_name          | Name of the level 5 branch that is either a parent or this branch                                     |
| pranch_level_6               | ID of the level 6 branch that is either a parent or this branch                                       |
| pranch_level_6_name          | Name of the level 6 branch that is either a parent or this branch                                     |
| pranch_level_7               | ID of the level 7 branch that is either a parent or this branch                                       |
| pranch_level_7_name          | Name of the level 7 branch that is either a parent or this branch                                     |
| pranch_level_8               | ID of the level 8 branch that is either a parent or this branch                                       |
| pranch_level_8_name          | Name of the level 8 branch that is either a parent or this branch                                     |
| pranch_level_9               | ID of the level 9 branch that is either a parent or this branch                                       |
|                              | •   |
| oranch_level_9_name          | Name of the level 9 branch that is either a parent or this branch                                     |
| pranch_name                  | Name of the branch  |
| ranch_parent_id              | ID of the branch  |
| count                        | Always 1  |
| course_category_id           | ID of the category of the course  |
| course_category_name         | Name of the category of the course  |
| ourse_code                   | Code of the course  |
| ourse_creation_dt            | Course creation date  |
| ourse_credit                 | Credits for the course  |
| ourse_difficult              | Difficulty of the course. Possible values: veryeasy, easy, medium, difficult, verydifficult           |
| ourse_external_provider_id   | ID of the external provider. If NULL the course is internal   |
| ourse_external_provider_name | Name of the external provider. If NULL the course is internal   |
| ourse_id                     | ID of the course  |
| course_lang_code             | Language code of the course   |
| ourse_last_update_dt         | Course last update date   |
| course_medium_time_secs      | Course expected time (seconds) to completion set by Admin   |
| course_name                  | Name/Title of the course  |
| course_publish_dt            | Course publication date   |
| course_selling               | It identifies a course on sale through e-commerce. Possible values: free, access under payment        |
| course_sening                | It specifies if the course is either published or not. Possible values:                               |
|                              | - effective (published)   |
| course_status                | - in preparation (unpublished)  |
|                              | It specifies whether the course is either e-learning or instructor-led training (ILT). Possible value |
|                              | - elearning<br>- classroom  |
| course_type                  | It identifies a record in the archived_enrollment_course, if the enrollment is archived. Otherwise    |
| t_enrollment_course_id       | is NULL   |
| ec_is_deleted                | If TRUE, the record is deleted. Otherwise it is FALSE   |
|                              | It is a 32-character surrogate key that identifies the record. It has a unique value because each     |
| ec_key                       | record is different from the others   |
| ec_upd_ts                    | This indicates the date when the record was updated last time (Unix Epoch format)                     |
| ls_key                       | This value is used internally for calculating the RLS (Row Level Security)                            |
| ime_spent                    | Session duration (in seconds)   |
| aracksession_enter_dt        | Time when the session starts  |
| racksession_id               | Unique ID of the specific session   |

| tracksession_last_dt                 | Time when the session ends  |
|--------------------------------------|---|
| user_branch_ids                      | List of the branch ids the user belongs to  |
| user_email                           | User email  |
| user_enrollment_completion_dt        | Course completion date  |
| user_enrollment_date_begin_validity  | Course enrollment start date  |
| user_enrollment_date_expire_validity | Course enrollment end date  |
| user_enrollment_first_access_dt      | Course first access date  |
| user_enrollment_initial_score_given  | Course score set by the Course Initial Score Calculation in the advanced settings.  |
| user_enrollment_inscr_dt             | Course enrollment date  |
| user_enrollment_is_archived          | If TRUE the enrollment is archived<br>If FALSE the enrollment is live   |
| user_enrollment_is_self_enrolled     | If TRUE the user enrolled himself/herself to the course<br>If FALSE the user was enrolled by other  |
| user_enrollment_is_waiting           | If TRUE the enrollment is in waiting list. Otherwise, it is FALSE   |
| user_enrollment_last_access_dt       | Course last access date   |
| user_enrollment_last_update          | Course enrollment last update date  |
| user_enrollment_level                | Role of the user in the course. Possible values:<br>- learner<br>- tutor<br>- instructor<br>- coach   |
| user_enrollment_score_given          | Course score set by the Course Final Score Calculation in the advanced settings. It indicates the official course score.                    |
| user_enrollment_status               | Course enrollment status  |
| user_enrollment_subscriber_user_id   | ID of the user who created the enrollment. This can be either the enrolled user (self- enrollment) or adifferent person (e.g. a superadmin) |
| user_firstname                       | User first name   |
| user_fullname                        | User full name  |
| user_group_ids                       | List of the group ids the user belongs to   |
| user_id                              | ID of the user  |
| user_is_valid                        | If TRUE the user account is active<br>If false the user account is inactive   |
| user_lastenter_dt                    | Date when the user logged onto the platform for the last time   |
| user_lastname                        | User last name  |
| user_level                           | Role of the user in the LMS. Possible values:<br>- user: learner<br>- admin: power user<br>- godadmin: superadmin                           |
| user_register_date_dt                | User registration date  |
| user_suspend_date_dt                 | Date when the user has been suspended (not used anymore)  |
| user_userid                          | Username  |

|                                      | Time spent on learning by group   |  |
|--------------------------------------|---|--|
| Column Name                          | Description   |  |
| count                                | Always 1  |  |
| course_category_id                   | ID of the category of the course  |  |
| course_category_name                 | Name of the category of the course  |  |
| course_code                          | Code of the course  |  |
| course_creation_dt                   | Course creation date  |  |
| course_credit                        | Credits for the course  |  |
| course_difficult                     | Difficulty of the course. Possible values: veryeasy, easy, medium, difficult, verydifficult   |  |
| course_external_provider_id          | ID of the external provider. If NULL the course is internal   |  |
| course_external_provider_name        | Name of the external provider. If NULL the course is internal   |  |
| course_id                            | ID of the course  |  |
| course_lang_code                     | Language code of the course   |  |
| course_last_update_dt                | Course last update date   |  |
| course_medium_time_secs              | Course expected time (seconds) to completion set by Admin   |  |
| course_name                          | Name/Title of the course  |  |
| course_publish_dt                    | Course publication date   |  |
| course_selling                       | It identifies a course on sale through e-commerce. Possible values: free, access under payment  |  |
|                                      | It specifies if the course is either published or not. Possible values:<br>- effective (published)  |  |
| course_status                        | - in preparation (unpublished)  |  |
|                                      | It specifies whether the course is either e-learning or instructor-led training (ILT). Possible values - elearning                          |  |
| course_type                          | - classroom   |  |
| lt_enrollment_course_id              | It identifies a record in the archived_enrollment_course, if the enrollment is archived. Otherwise, is NULL                                 |  |
| rec_is_deleted                       | If TRUE, the record is deleted. Otherwise it is FALSE   |  |
| rec_key                              | It is a 32-character surrogate key that identifies the record. It has a unique value because each record is different from the others       |  |
| ec_upd_ts                            | This indicates the date when the record was updated last time (Unix Epoch format)   |  |
| ls_key                               | This value is used internally for calculating the RLS (Row Level Security)  |  |
| ime_spent                            | Session duration (in seconds)   |  |
| racksession_enter_dt                 | Time when the session starts  |  |
| racksession_id                       | Unique ID of the specific session   |  |
| racksession_last_dt                  | Time when the session ends  |  |
| user_branch_ids                      | List of the branch ids the user belongs to  |  |
| user_email                           | User email  |  |
| user_enrollment_completion_dt        | Course completion date  |  |
| user_enrollment_date_begin_validity  | Course enrollment start date  |  |
| user_enrollment_date_expire_validity | Course enrollment end date  |  |
| user_enrollment_first_access_dt      | Course first access date  |  |
| user_enrollment_initial_score_given  | Course score set by the Course Initial Score Calculation in the advanced settings.  |  |
| user_enrollment_inscr_dt             | Course enrollment date  |  |
|                                      | If TRUE the enrollment is archived  |  |
| user_enrollment_is_archived          | If FALSE the enrollment is live   |  |
| user_enrollment_is_self_enrolled     | If TRUE the user enrolled himself/herself to the course<br>If FALSE the user was enrolled by other  |  |
| user_enrollment_is_waiting           | If TRUE the enrollment is in waiting list. Otherwise, it is FALSE   |  |
| iser_enrollment_last_access_dt       | Course last access date   |  |
| user_enrollment_last_update          | Course enrollment last update date  |  |
|                                      | Role of the user in the course. Possible values:<br>- learner<br>- tutor<br>- instructor  |  |
| user_enrollment_level                | - coach   |  |
| user_enrollment_score_given          | Course score set by the Course Final Score Calculation in the advanced settings. It indicates the official course score.                    |  |
| user_enrollment_status               | Course enrollment status  |  |
| user_enrollment_subscriber_user_id   | ID of the user who created the enrollment. This can be either the enrolled user (self- enrollment)<br>adifferent person (e.g. a superadmin) |  |

| user_firstname        | User first name   |
|-----------------------|---|
| user_fullname         | User full name  |
| user_group_ids        | List of the group ids the user belongs to   |
| user_id               | ID of the user  |
| user_is_valid         | If TRUE the user account is active<br>If false the user account is inactive                                       |
| user_lastenter_dt     | Date when the user logged onto the platform for the last time   |
| user_lastname         | User last name  |
| user_level            | Role of the user in the LMS. Possible values:<br>- user: learner<br>- admin: power user<br>- godadmin: superadmin |
| user_register_date_dt | User registration date  |
| user_suspend_date_dt  | Date when the user has been suspended (not used anymore)  |
| user_userid           | Username  |